European Environment Agency European Topic Centre on Biological Diversity



Dendrocopos leucotos

Annex I Yes International action plan No

White-backed Woodpecker, *Dendrocopos leucotos*, is a species of woodpecker found in woodland and forest ecosystems.

Dendrocopos leucotos has a breeding population size of 21900-71100 pairs and a breeding range size of 493000 square kilometres in the EU27. The breeding population trend in the EU27 is Decreasing in the short term and Unknown in the long term.

The EU population status for *Dendrocopos leucotos* is Unknown, as the data reported were not sufficient to assess the population status of the species.


Report under the Article 12 of the Birds Directive

Assessment of status at the European level

Breeding population size	Breeding population trend R		_ Range _	Breeding range Range trend	• •	Winter	Winter population trend		_Population
	Short term	Long term	area	Short term	Long term	population size	Short term	Long term	status
21900 - 71100 p	-	X	493000						Unknown

See the endnotes for more informationⁱ

Report under the Article 12 of the Birds Directive




Report under the Article 12 of the Birds Directive


Trends at the Member State level

MS/Ter. % in		Breeding	Breeding population trend		Range	Breeding range trend		Winter	Winter population trend	
MS/Ter. EU27	EU27	population size	Short term	Long term	area	Short term	Long term	population size	Short term	Long term
AT	7.8	2000 - 3000 p	0	X	35079	0	0			
BG	6.1	800 - 1500 p	-	-	29100	-	-			
CZ	3.0	150 - 250 p	0	0	11099	0	0			
DE	3.4	380 - 600 p	0	х	6727	0	0			
EE	15.3	3000 - 6000 p	0	+	42100	0	+			
ES	0.9	80 - p	0	+	2300	0	+			
FI	12.7	190 - 190 p	+	+	76600	X	+			
FR	1.5	310 - 400 p	0	0	5500	0	0			
GR										
HU	2.9	260 - 760 p	0	х	5125	0	0			
IT	2.0	250 - 350 p	0	+	5500	+	+			
LT	4.0	1500 - 3000 p	+	X	24000	0	0			
LV	17.0	1498 - 13989 p	-	+	62498	Х	+			
PL		1000 - 1300 p	+	+		X	X			
RO	0.9	8500 - 35000 p	-	X	134500	X	X			
SE	7.6	2 - 4 p	-	-	14100	-	-			
SI	0.9	70 - 100 p	-	-	1614	X	X			
SK	14.2	1500 - 2500 p	-	-	37195	0	0			

See the endnotes for more informationⁱⁱ

Report under the Article 12 of the Birds Directive





Short-term winter population trend was not reported for this species.

Main pressures and threats reported by Member States

For the bird species triggering SPA classification Member States were asked to report the 20 most important pressures and threats using an agreed hierarchical list which can be found on the Article 12 Reference Portal (http://bd.eionet.europa.eu/activities/Reporting/Article_12/reference_portal). Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. The table below only contains information from Member States, where a species triggers SPA classification. Pressures and threats were ranked in three classes 'high, medium and low importance', the table below only shows pressures and threats classed as 'high', for some species there were less than ten pressures and threats reported as highly important.

Ten most frequently reported 'highly important' pressures and threats

Code	Activity	Frequency
B02	Forest and plantation management & use	50
B03	Forest exploitation	14
B07	Other forestry activities	11
A06	Crops of annuals & perennials (non-timber)	4
D01	Roads, railroads and paths	4
G01	Outdoor sports, leisure and recreational activities	4
G05	Other human intrusions and disturbances	4
J01	Fire and fire suppression	4
J02	Changes in water bodies conditions	4
J03	Other changes to ecosystems	4

Proportion of population covered by the Natura 2000 network

For the bird species triggering SPA classification Member States were asked to report the size of a species population occurring within the Natura 2000 network. The percentage of species population covered by the network was estimated by comparing the population size within the network and the total population size.

Percentage of coverage by Natura 2000 sites

MS/territory	season	SPA trigger	% coverage
AT	breeding	YES	17.08
BG	breeding	YES	80.62
CZ	breeding	YES	73.03
DE	breeding	YES	71.8
EE	breeding	YES	13.94

MS/territory	season	SPA trigger	% coverage
ES	breeding	YES	37.5
FI	breeding	YES	X
FR	breeding	YES	18.57
HU	breeding	YES	73.45
IT	breeding	YES	100
LT	breeding	YES	13.19
LV	breeding	YES	10.51
PL	breeding	YES	96
RO	breeding	YES	30.71
SE	breeding	YES	35.36
SI	breeding	YES	14.64
SK	breeding	YES	69.28

See the endnotes for more informationiii

Most frequently reported conservation measures

For the bird species triggering SPA classification Member States were asked to report up to 20 conservation measures being implemented for this species using an agreed list which can be found on the Article 12 Reference Portal. Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many species there were less than ten measures reported as highly important.

Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
3.2	Adapt forest management	24
6.1	Establish protected areas/sites	24
3.1	Restoring/improving forest habitats	20
6.3	Legal protection of habitats and species	20
7.4	Specific single species or species group management measures	8
6.2	Establishing wilderness areas/ allowing succession	4

This information is derived from the Member State national reports submitted to the European Commission under Article 12 of the Birds Directive in 2013 and covering the period 2008-2012. More detailed information, including the MS reports, is available at: http://bd.eionet.europa.eu/article12/summary?period=1&subject=A239.

Report under the Article 12 of the Birds Directive

ⁱ Assessment of status at the European level: The EU assessments of birds population status was made by the European Red List of Birds Consortium (under contract with the European Commission)

The EU27 population trends were assessed using these categories: '+' Increasing, '0' Stable, 'F' Fluctuating, '-' Decreasing, 'xu' Uncertain and 'x' Unknown. The breeding population size is estimated in majority of the cases as 'p' number of pairs. Alternative population units used are: 'males' number of males, 'i' number of individuals, 'cmales' number of calling males and 'bfem' number of breeding females. The winter population size is estimated as number of individuals.

ⁱⁱSpecies trends at the Member State level: The percentage of the EU27 species population occurring in the Member States (% in EU27) is calculated based on the population size reported by the Member States.

iiiPercentage of coverage by Natura 2000 sites: In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (*). The value 'x' indicates that the Member State has not reported the species population and/or the coverage by Natura 2000. No information is available for Greece and for non-Annex I species in the Czech Republic.