


Habitat code: **2130**
 Habitat name: **Fixed coastal dunes with herbaceous vegetation ("grey dunes")**

Habitat group: **dunes habitats**
 Regions: **ATL BOR CON MAC MED**

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Biogeographic Region	Conservation status assessment					Km ²	Trend in area
		Range	Area	Structure & function	Future prospects	Overall		
EU25	ATL	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	Unfavourable bad	>622	
EU25	BOR	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	41	-
EU25	CON	Favourable	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	Unfavourable bad	144	x
EU25	MAC	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	Unfavourable bad	41	-
EU25	MED	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	>6.46	

'Grey' dunes form the immobile, grassy part of a dune system behind the mobile dunes (habitat types 2110 and 2120) and are normally found as part of a dynamic assemblage of several dune habitats, most of which have been assessed as unfavourable throughout the European Union. The habitat is found on Atlantic and Baltic coasts. In the Mediterranean basin other habitats occupy a similar position in the dune complex although Italy has reported this habitat from the Adriatic and Spain has indicated part of the distribution in Valencia which is most likely an error.

Assessed as 'unfavourable-bad' for the Atlantic and Macaronesia regions and 'unfavourable-inadequate' elsewhere. Reported as 'favourable' only for Atlantic Germany and for Estonia, 'structure & function' and 'future prospects' are particularly unfavourable. Spain & Italy have reported several parameters as unknown.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Biogeographic Region	Conservation status assessment					Km ²	Trend in area	Data quality
		Range	Area	Structure & function	Future prospects	Overall			
BE	ATL	Green	Red	Red	Green	Red	8.5	+	1
DE	ATL	Green	Green	Green	Green	Green	34.26	=	2
DK	ATL	Green	Green	Yellow	Yellow	Yellow	62	X	2
ES	ATL	Grey	Grey	Grey	Grey	Grey	N/A	N/A	
FR	ATL	Red	Red	Yellow	Yellow	Red	124	-	2
IE	ATL	Green	Yellow	Red	Red	Red	70.61	-	1
NL	ATL	Green	Green	Red	Red	Red	100	-	2
PT	ATL	Green	Green	Red	Red	Red	N/A	-	
UK	ATL	Green	Green	Red	Red	Red	223	+	2
EE	BOR	Green	Green	Grey	Green	Green	5.5	=	2
FI	BOR	Green	Yellow	Red	Yellow	Red	3	-	2
LT	BOR	Green	Yellow	Yellow	Yellow	Yellow	11	-	3
LV	BOR	Green	Green	Green	Green	Green	12.8	=	1
SE	BOR	Green	Red	Yellow	Yellow	Red	9	-	3
DE	CON	Green	Yellow	Green	Green	Yellow	6.73	-	2
DK	CON	Green	Green	Red	Red	Red	61	X	2
IT	CON	Green	Yellow	Grey	Grey	Yellow	12	=	2
PL	CON	Green	Yellow	Yellow	Red	Red	60	-	2
SE	CON	Green	Red	Yellow	Yellow	Red	4	-	3
ES	MAC	Green	Green	Yellow	Green	Yellow	40	=	1
PT	MAC	Red	Red	Red	Red	Red	1	-	3
ES	MED	Grey	Grey	Grey	Grey	Grey	6.46	N/A	2
PT	MED	Green	Yellow	Yellow	Yellow	Yellow	N/A	-	

Data quality is based on an assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>