


Habitat code: **9030**
 Habitat name: **Natural forests of primary succession stages of landupheaval coast**

Habitat group: **forests**
 Regions: **BOR**

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Biogeographic Region	Conservation status assessment					Km ²	Trend in area
		Range	Area	Structure & function	Future prospects	Overall		
EU25	BOR						310	

This habitat includes pioneer deciduous, coniferous and mixed natural thickets and forests developed on the land upheaval coasts of the Baltic Sea where sealevels are still falling as the land is still recovering from the weight of ice during the last Ice Age. This habitat type habitat includes various succession stages of forest. Close to the coast the forest are usually composed of alder and birch in tree layer. Where the influence of the sea is less important, conifers dominate.

The habitat is present only in the Boreal region of Fenno-Scandinavia. The conservation status is 'unfavourable inadequate'. Both range and area are lower than the reported favourable reference values. Structure of habitat and the internal variability of subtypes within this habitat type are negatively influenced by economic forestry management.

**Assessments of conservation status as reported by Member states
(all biogeographical regions - EU25)**



MS	Biogeographic Region	Conservation status assessment					Km ²	Trend in area	Data quality
		Range	Area	Structure & function	Future prospects	Overall			
FI	BOR						200	-	3
SE	BOR						110	X	2

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at

<http://biodiversity.eionet.europa.eu/article17>