


Species name: **Hypodryas maturna**  
Annex: **II, IV**

Species group: **Invertebrates**  
Regions: **ALP ATL BOR CON PAN**

## Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	ALP						103 grids	
EU25	BOR						1078 grids	
EU25	CON						169 grids	
EU25	PAN						142 - 144 loc.	-

The scarce fritillary is a butterfly which occurs in central and south-eastern Europe, Baltic and Scandinavia.

Overall assessment for Boreal region is 'favourable' because species was evaluated in all four parameters as 'favourable' for three countries representing majority of its distribution area (more than 98%). Unfortunately assessments are 'unfavourable-bad' for Alpine and Continental regions. For Pannonic region assessment is 'unfavourable-inadequate' but with 'favourable' report from Slovakia and future prospects overall. Species is 'data deficient' according to IUCN.

## Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	46 - 46 loc.	-	3
IT	ALP	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	6 - 6 loc.	X	2
SI	ALP	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	68 - (68) grids	-	2
SK	ALP	Favourable	Unfavourable - inadequate	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	7 - 10 loc.	=	2
FR	ATL	Unfavourable - inadequate	Unfavourable - inadequate	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	N/A x	-	2
EE	BOR	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	6 - 6 grids	X	3
FI	BOR	Favourable	Favourable	Favourable	Favourable	Favourable	300 - 350 grids	=	2
LT	BOR	Favourable	Favourable	Favourable	Favourable	Favourable	20000 - 30000 indiv.	=	2
LV	BOR	Favourable	Favourable	Favourable	Favourable	Favourable	9 - 9 loc.	=	2
SE	BOR	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	15 - 18 grids	=	2
AT	CON	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	30 - 30 loc.	-	3
CZ	CON	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	1792 - 3214 indiv.	+	1
DE	CON	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	15 - (15) loc.	X	2
FR	CON	Unfavourable - inadequate	Unfavourable - inadequate	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	N/A x	-	3
PL	CON	Unfavourable - inadequate	Unknown	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	30 - 30 loc.	X	1
SI	CON	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	81 - (81) grids	-	2
HU	PAN	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Favourable	Favourable	130 - 130 loc.	-	2
SK	PAN	Favourable	Favourable	Favourable	Favourable	Favourable	12 - 14 loc.	=	2

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at

<http://biodiversity.eionet.europa.eu/article17>