


Species name: **Vertigo geyeri**
Annex: **II**

Species group: **Invertebrates**
Regions: **ALP ATL BOR CON**


Assessments of conservation status at the European level (all biogeographical regions - EU25)



| MS | Region | Conservation status assessment | | | | | Population size & unit | Population Trend |
|------|--------|--------------------------------|------------|---------|------------------|---------|------------------------|------------------|
| | | Range | Population | Habitat | Future prospects | Overall | | |
| EU25 | ALP | | | | | | 83 grids | |
| EU25 | ATL | | | | | | 52 grids | = |
| EU25 | BOR | | | | | | 352 grids | |
| EU25 | CON | | | | | | | |

Vertigo geyeri is a small species of snail which occurs in central and northern Europe plus the United Kingdom and Ireland. In the Alpine and Atlantic region the status of this species has been assessed as 'unfavourable-inadequate'. In the Boreal region its status is 'bad' whereas it is 'impossible to be assessed' in the Continental region. In Continental Sweden and the United Kingdom the conservation status is 'favourable'. This species has a large habitat area in Latvia where it is also considered 'favourable'. Important data from Austria, Denmark and Slovakia are missing.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



| MS | Region | Conservation status assessment | | | | | Size&unit | Population trend | Data quality |
|----|--------|--------------------------------|------------|---------|------------------|---------|----------------|------------------|--------------|
| | | Range | Population | Habitat | Future prospects | Overall | | | |
| AT | ALP | | | | | | 5 - 5 grids | X | 3 |
| DE | ALP | | | | | | 5 - (5) loc. | X | 3 |
| PL | ALP | | | | | | 2 - 2 loc. | X | 2 |
| SE | ALP | | | | | | 30 - 100 loc. | = | 3 |
| SI | ALP | | | | | | 1 - (1) loc. | X | 3 |
| SK | ALP | | | | | | 5 - 10 loc. | + | 3 |
| IE | ATL | | | | | | 28 - 28 loc. | = | 3 |
| UK | ATL | | | | | | 59 - 59 x | = | 2 |
| EE | BOR | | | | | | 2 - 2 grids | X | 3 |
| FI | BOR | | | | | | 9 - (9) loc. | X | 3 |
| LT | BOR | | | | | | 2 - 2 loc. | X | 3 |
| LV | BOR | | | | | | 22 - 22 loc. | = | 2 |
| SE | BOR | | | | | | 50 - 400 loc. | = | 3 |
| AT | CON | | | | | | N/A grids | X | 3 |
| CZ | CON | | | | | | 1 - 1 grids | - | 2 |
| DE | CON | | | | | | 47 - (47) loc. | - | 3 |
| DK | CON | | | | | | 18 - 18 loc. | + | 2 |
| SE | CON | | | | | | 10 - 75 loc. | = | 2 |

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at

<http://biodiversity.eionet.europa.eu/article17>