


Species name: **Myotis nattereri**
Annex: **IV**

Species group: **Mammals**
Regions: **ALP ATL BOR CON MED PAN**

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	ALP						924 grids	
EU25	BOR	■	■			■	> 123 grids	
EU25	CON	■	■	■	■	■	> 4544 grids	
EU25	MED						706 grids	
EU25	PAN				■	■	421 grids	
EU25	ATL						3866 grids	

The Natterer's bat is widespread all across the Europe but quite rare everywhere. It occurs in six biogeographical regions. It nests mostly in cavities in old trees and hibernates in underground habitats. The main pressure beside the forestry management is abandonment of traditional land use practices.

Overall assessments for Continental and Pannonian regions are 'unfavourable-inadequate' and for Boreal is 'unfavourable-bad'. For Alpine and Mediterranean regions assessments are 'unknown'. In five out of nine countries in the Atlantic region assessment is 'favourable' indicating that situation in this region might be better, but due to the lack of data from other countries overall assessment is still 'unknown'. There are different trends reported by different countries within the same region. There is an obvious need for better information.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP						77 - 77 grids	X	3
DE	ALP						7 - (7) x	X	2
ES	ALP						2 - 2 loc.	X	3
FR	ALP						N/A x	N/A	
IT	ALP						17 - 17 colony	-	2
PL	ALP						5000 - 15000 indiv.	X	3
SI	ALP						N/A x	X	3
SK	ALP						20000 - 34609 area	X	3
BE	ATL						(1580) - 1580 indiv.	+	1
DE	ATL						120 - (120) x	+	2
DK	ATL						N/A x	X	3
ES	ATL						N/A x	X	
FR	ATL						N/A x	N/A	
IE	ATL						135 - 135 grids	=	3
NL	ATL						2500 - 3000 x	+	2
PT	ATL						N/A x	X	
UK	ATL						148000 - 148000 indiv.	+	3
EE	BOR						500 - 2000 indiv.	=	2
FI	BOR						9 - (9) grids	X	3
LT	BOR						20 - 23 loc.	X	3
LV	BOR						1000 - 5000 indiv.	X	3
SE	BOR						4000 - 8000 indiv.	-	3
AT	CON						73 - 73 grids	X	3
BE	CON						30 - 44 grids	=	1
CZ	CON						257 - 257 grids	=	2

MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
DE	CON						1398 - (1398) x	+	2
DK	CON						N/A x	X	3
FR	CON						N/A x	N/A	
IT	CON						28 - 28 colony	-	2
LU	CON						45 - (45) loc.	X	2
PL	CON						15000 - (15000) indiv.	X	
SE	CON						800 - 1600 indiv.	-	3
SI	CON						N/A x	X	3
CY	MED						2 - 2 grids	X	3
EL	MED						18 - 18 x	X	3
ES	MED						N/A x	X	
FR	MED						N/A x	N/A	
IT	MED						17 - 17 colony	-	2
PT	MED						1500 - 3000 indiv.	+	2
CZ	PAN						16 - 16 grids	=	2
HU	PAN						10000 - 20000 indiv.	-	3
SK	PAN						8000 - 14223 area	X	3

Data quality is based on an assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>