


Species name: ***Apium repens***  
 Annex: **II, IV**

Species group: **Plants**  
 Regions: **ALP ATL CON MED PAN**

## Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region	Conservation status assessment					Population size & unit	Population Trend
		Range	Population	Habitat	Future prospects	Overall		
EU25	ALP						43 grids	
EU25	CON						124 grids	
EU25	MED						> 53 grids	
EU25	PAN						30 grids	-
EU25	ATL						49 grids	

The creeping marshwort is spread across Europe, mainly in the western and middle parts of Europe and to a lesser extent also in Southeast Europe. It is a grassland species which has a preference for unfertilised but relatively nutrient rich grasslands.

In the Alpine, Atlantic and Continental biogeographical region the overall assessment is ‘unfavourable bad’. In the Pannonian biogeographical region it is ‘unfavourable inadequate’ and in the Mediterranean biogeographical region its overall assessment is ‘unknown’, since data of particularly Spain are lacking. Changing the agricultural practices such as fertilisation or draining are major threats to the existence of this species.

**Assessments of conservation status as reported by Member states  
(all biogeographical regions - EU25)**



MS	Region	Conservation status assessment					Size&unit	Population trend	Data quality
		Range	Population	Habitat	Future prospects	Overall			
AT	ALP	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	10 - 20 loc.	X	2
DE	ALP	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	10 - (10) x	-	2
BE	ATL	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	5 - 6 loc.	=	1
DE	ATL	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	7 - (7) x	-	1
ES	ATL	Unknown	Unknown	Unknown	Unknown	Unknown	4 - 4 loc.	X	1
FR	ATL	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	18 - 18 loc.	-	1
NL	ATL	Unfavourable bad	Unfavourable bad	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	10 - 20 loc.	X	2
UK	ATL	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	4 - 4 loc.	+	1
AT	CON	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	10 - 20 loc.	X	2
DE	CON	Unfavourable bad	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	Unfavourable bad	183 - (183) x	-	1
FR	CON	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	Unfavourable bad	- 5 loc.	-	2
PL	CON	Favourable	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	10 - 11 loc.	X	3
SI	CON	Unfavourable - inadequate	Unknown	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	1 - (1) loc.	-	2
ES	MED	Unknown	Unknown	Unknown	Unknown	Unknown	55 - 55 loc.	N/A	1
PT	MED	Unknown	Unknown	Unknown	Unknown	Unknown	N/A x	-	
HU	PAN	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	1000 - 10000 flowr.	-	2
SK	PAN	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable - inadequate	Unfavourable bad	Unfavourable bad	25000 - 35000 indiv.	-	2

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at <http://biodiversity.eionet.europa.eu/article17>