




Species group: Plants Regions: BOR CON

Assessments of conservation status at the European level (all biogeographical regions - EU25)




MS	Region		Conservatio	Bonulation	Bonulation			
		Range	Population	Habitat	Future prospects	Overall	Population size & unit	Population Trend
EU25	BOR						59 grids	=
EU25	CON						30000 indiv.	X

Plant species endemic to the south-eastern Baltic coast was reported from Poland, Latvia and Lithuania. It can be found as well along the coast of Kaliningrad and the EU Flora Europea mentions its occurrence in Germany. The species occurs rarely on white and to lesser extent on grey dunes; it prefers open vegetation and stabilised sand substrate.

The conservation status in both the Boreal and the Continental biogeographical regions is 'unfavourable inadequate'. The species is sensitive to the degradation of the habitat, which is in both biogeographical regions under the pressure of increasing recreational activities and succession. This results in the 'unfavourable inadequate' evaluation of future prospects and habitat of species.

Assessments of conservation status as reported by Member states (all biogeographical regions - EU25)



MS	Region		onservation				Population	Data	
		Range	Population	Habitat	Future prospects	Overall	Size&unit		quality
LT	BOR						4 - 4 area	=	2
LV	BOR						27 - 40 loc.	=	1
ΡL	CON						30000 - (30000) indiv.	Х	3

Data quality is based on as assessment by each Member State, 1 = good, 2 = medium, 3 = poor

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2007 and covering the period 2001-2006. More detailed information is available at http://biodiversity.eionet.europa.eu/article17