

**EUROPEAN TOPIC CENTRE ON BIOLOGICAL**

Under contract with the European Environment Agency

**CENTRE THEMATIQUE EUROPEEN SUR LA DIVERSITE**

Sous contract avec l'Agence Europeenne de l'Environnement

**REPORT UNDER ARTICLE 17  
OF COUNCIL DIRECTIVE 92/43/EEC**

**QA/QC REPORT  
ON FINAL DELIVERY FROM  
BELGIUM**

Performed upon the envelope called: Natura 2000 habitat report  
stored at: <http://cdr.eionet.europa.eu/be/eu/art17/envrf6cg>  
released on: 16/01/2008 17:50:24

Museum National  
d'Histoire Naturelle

57 rue Cuvier  
F-75231 Paris cedex 05  
France

Tel. +33.1.40.79.38.70  
Fax. +33.1.40.79.38.67

ctecninf@mnhn.fr  
<http://biodiversity.eionet.eu.int>

<b>IMPORTANT NOTE</b> .....	<b>4</b>
<b>LIST OF ABBREVIATIONS USED</b> .....	<b>4</b>
<b>GENERAL STATISTICS</b> .....	<b>5</b>
Number of reports provided.....	5
List of reported species and habitats that were considered as marginal, occasional, extinct before Directive, etc. ....	5
Number of issues identified during QA/QC process .....	5
<b>GENERAL REPORT - Data not compliant with QA/QC procedures</b> .....	<b>6</b>
2. State of designation of Natura 2000 .....	6
3.1 Management tools - Art. 6(1) - Management plans and Management bodies .....	6
3.3 Management tools - Art. 6(1) - Non-territorial planning instruments .....	6
6. Measures taken in relation to approval of plans and projects - Art. 6(3,4).....	6
10.1 Measures taken to ensure the protection of species (Arts. 12 to 16) - Requisite measures taken to .....	6
establish a system of strict protection of Annex IV species .....	6
10.2 Measures taken to ensure the protection of species (Arts. 12 to 16) - Control systems for the incidental .....	6
capture and killing of species (Art. 12(4)) .....	6
10.3 Measures taken to ensure the protection of species (Arts. 12 to 16) - General main measures established .....	6
to deal with the taking/exploitation in the wild of specimens of wild species of Annex V (Art. 14) .....	6
<b>HABITATS REPORTING - Errors detected by QA/QC procedure</b> .....	<b>6</b>
2.4.6 Habitat area trend magnitude .....	6
2.5.1 Favourable reference habitat range .....	6
2.6.1 Conclusion for habitat range.....	7
2.6.2 Conclusion for habitat area .....	7
2.6.5 Conclusion for habitat overall assessment .....	7
<b>SPECIES REPORTING - Errors detected by QA/QC procedure</b> .....	<b>7</b>
1.1 Map of Species range .....	7
1.2 Map of Species distribution .....	7
2.3.5 Species range trend magnitude - optional .....	8
2.4.6 Species population trend magnitude .....	8
2.5.2 Species habitat area estimation .....	8
2.6 Future prospects for the species (not conclusion) .....	9
2.7.1 Favourable reference species range .....	9
2.7.2 Favourable reference species population.....	10
2.8.1 Conclusion for species range .....	10
2.8.2 Conclusion for species population.....	11
2.8.5 Conclusion for species overall assessment.....	11
<b>SPECIES REPORTING - Assessments given as unknown or not provided for all parameters</b> .....	<b>11</b>
2.8.5 Conclusion for species overall assessment.....	11
<b>HABITATS REPORTING - Mandatory data not reported or not following the agreed format</b> .....	<b>12</b>
0. General issues .....	12
2.5.3 Typical species for habitat .....	12
2.5.4 Typical species assessment.....	12
<b>SPECIES REPORTING - Mandatory data not reported or not following the agreed format</b> .....	<b>12</b>
0. General issues .....	12
1.1 Map of Species range .....	13
1.2 Map of Species distribution .....	13
2.3.1 Surface range of the species .....	13
2.3.2 Date of species range determination .....	13
2.3.3 Quality of data concerning species range .....	13
2.3.4 Species range trend .....	13
2.3.6 Species range trend period .....	13

2.4.1 Species population size estimation .....	14
2.4.1 Species population unit .....	14
2.4.2 Date of species population estimation .....	14
2.4.3 Method used for species population estimation.....	14
2.4.4 Quality of the data concerning species population .....	14
2.4.5 Species population trend .....	15
2.4.7 Species population trend period .....	15
2.5.2 Species habitat area estimation .....	15
2.5.3 Species habitat area date of estimation .....	18
2.5.4 Quality of the data concerning species habitat area .....	19
2.5.5 Species habitat area trend .....	21
2.5.6 Species habitat area trend period.....	22
2.6 Future prospects for the species (not conclusion) .....	23
2.7.1 Favourable reference species range .....	23
2.7.2 Favourable reference species population.....	24
2.7.3 Suitable habitat for the species .....	25
<b>HABITATS REPORTING - QA/QC indicates incoherence between spatial and non-spatial data or with other data</b>	
<b>officially submitted.....</b>	<b>28</b>
0. General issues .....	28
1.1 Map of Habitat range.....	28
1.2 Map of Habitat distribution.....	30
2.3.1 Surface range of the habitat .....	32
2.4.7 Habitat area trend period.....	32
<b>SPECIES REPORTING - QA/QC indicates incoherence between spatial and non-spatial data or with other data</b>	
<b>officially submitted.....</b>	<b>32</b>
0. General issues .....	32
1.1 Map of Species range .....	32
1.2 Map of Species distribution .....	33
2.3.1 Surface range of the species .....	34
<b>Spatial Data not compliant with QA/QC procedures .....</b>	<b>35</b>
<b>Non-spatial Data not compliant with QA/QC procedures.....</b>	<b>38</b>

## IMPORTANT NOTE

This QA/QC report is provided for information only. No additional delivery is required from the Member State. The reporting envelope is now closed and you are not able to upload any files.

However, National Data Coordinators are invited to use the Article 17 Consultation Tool to correct major mistakes in the national data. In doing so, the EU biogeographical assessments will be more accurate as well as your own reporting.

Please consult the background paper and user manual available at [http://circa.europa.eu/Public/irc/env/monnat/library?l=/habitats\\_reporting/reporting\\_2001-2007/internet\\_consultation&vm=detailed&sb=Title](http://circa.europa.eu/Public/irc/env/monnat/library?l=/habitats_reporting/reporting_2001-2007/internet_consultation&vm=detailed&sb=Title) to see how you can correct possible errors using the web tool (<http://biodiversity.eionet.europa.eu/article17>)

## LIST OF ABBREVIATIONS USED

- cf. Abbreviation for the Latin word *confer*, meaning "compare" or "consult"
- GML Geography Markup Language files submitted by Member States that contain spatial data
- XML Extensible Markup Language files submitted by Member States that contain descriptive data
- MAP Used to indicate the provided GML file (map), or to indicate the map of Natura 2000 site(s)
- \* If used after the filename it indicates the fact that ETC/BD had performed the correction.

Biogeographical regions:

- ALP Alpine
- ATL Atlantic
- BOR Boreal
- CON Continental
- MAC Macaronesia
- MATL Marine Atlantic
- MBAL Marine Baltic
- MED Mediterranean
- MMAC Marine Macaronesian
- MMED Marine Mediterranean
- PAN Pannonian

## GENERAL STATISTICS

### Number of reports provided

Reports on	Number
Habitats	87
Species	136
<b>TOTAL</b>	<b>223</b>

Note: Habitats & species listed as marginal, occasional, etc. are not counted above (see the list below)

### List of reported species and habitats that were considered as marginal, occasional, extinct before Directive, etc.

MS species name or Habitat code	Region	Status abbrev.	Status
2310	CON	DEL	file to be deleted - test files or wrong reports
7110	CON	MAR	marginal habitat
7120	ATL	DEL	file to be deleted - test files or wrong reports
8210	ATL	DEL	file to be deleted - test files or wrong reports
9110	ATL	DEL	file to be deleted - test files or wrong reports
9180	ATL	DEL	file to be deleted - test files or wrong reports
91D0	ATL	MAR	marginal habitat
<i>Felis silvestris</i>	ATL	INF	'empty' report that just provide some information
<i>Vespertilio murinus</i>	CON	OCC	occasional, vagrant or marginal

### Number of issues identified during QA/QC process

Issues on	Errors	Missing	Incoherent	Not assessed
Non Spatial Data (XML)	83	522	18	19
Spatial Data (GML)	6	2	111	-

## GENERAL REPORT - Data not compliant with QA/QC procedures

### 2. State of designation of Natura 2000

#### *Issue 20*

- 1 . The number of sites of community importance provided in the general report (77 in ATL, 201 in CON) does not match the number of sites in the latest Natura 2000 database (84 in ATL, 184 in CON, 10 in both ATL and CON) received from the European Commission prior to 31/12/2006.  
A value of zero was given as to the number of SACs and area of SACs. This will be interpreted that no (0) SACs have been designated to date.

### 3.1 Management tools - Art. 6(1) - Management plans and Management bodies

#### *Issue 31*

- 1 . A value of zero was given for number of sites for which comprehensive management plans have been adopted. No sites were listed in the respective categories. It will be interpreted that no comprehensive management plan was adopted.

### 3.3 Management tools - Art. 6(1) - Non-territorial planning instruments

#### *Issue 33*

- 1 . A value of zero was given for the number of sites with non-territorial planning instruments. No sites were listed under the respective title. This will be interpreted that non-planning instruments were not applied.

### 6. Measures taken in relation to approval of plans and projects - Art. 6(3,4)

#### *Issue 60*

- 1 . A value of zero was given for the number of projects for which Commission opinion was requested. No sites were listed in the relevant category. This will be interpreted that Commission opinion was not requested.

### 10.1 Measures taken to ensure the protection of species (Arts. 12 to 16) - Requisite measures taken to establish a system of strict protection of Annex IV species

#### *Issue 101*

- 1 . *Arnica montana, Phoca vitulina, Halichoerus grypus, Alosa alosa, Coregonus oxyrhynchus* are not Annex IV species.

### 10.2 Measures taken to ensure the protection of species (Arts. 12 to 16) - Control systems for the incidental capture and killing of species (Art. 12(4))

#### *Issue 102*

- 1 . *Alosa alosa, Coregonus oxyrhynchus* are not Annex IV species. Aves are not covered by the Habitats Directive.

### 10.3 Measures taken to ensure the protection of species (Arts. 12 to 16) - General main measures established to deal with the taking/exploitation in the wild of specimens of wild species of Annex V (Art. 14)

#### *Issue 103*

- 1 . No species listed for Brussels region

## HABITATS REPORTING - Errors detected by QA/QC procedure

### 2.4.6 Habitat area trend magnitude

*Issue 16360* **Magnitude should not be zero if the trend is not stable, should not be a number different from 0 if the trend is stable and should not have a value if the trend is unknown**

- 1 . habitattype-7210.xml (cf. ATL: trend: -; magnitude: 0)

### 2.5.1 Favourable reference habitat range

*Issue 17510 Reference value should not be lower than actual value, or use of qualifier "More than" or "Much more than" for reference value lower than actual value make the sub-conclusion doubtful according to Addendum #2 of the Explanatory Notes and Guidelines*

- 1 .habitatype-4010.xml (cf. CON: actual value = 2045; reference value = 2030)
- 2 .habitatype-6430.xml (cf. CON: actual value = 12000; reference value = 11900)
- 3 .habitatype-7110.xml (cf. ATL: actual value = 16.0; reference value >>0.017)
- 4 .habitatype-7120.xml (cf. CON: actual value = 1570; reference value = 1550)
- 5 .habitatype-9110.xml (cf. CON: actual value = 12440; reference value = 11900)

### 2.6.1 Conclusion for habitat range

*Issue 18450 Conclusion unexpected according to provided values*

- 1 .habitatype-7110.xml (cf. CON: actual value: 1550; favourable reference value: >1550; trend: =; sub-conclusion: FV (>10%: 0%))
- 2 .habitatype-91D0.xml (cf. CON: actual value: 1810; favourable reference value: >1810; trend: =; sub-conclusion: FV (>10%: 0%))

### 2.6.2 Conclusion for habitat area

*Issue 18550 Conclusion unexpected according to provided values*

- 1 .habitatype-2330.xml (cf. CON: actual value: 0.25; favourable reference value: >0.25; trend: =; sub-conclusion: FV (>10%: 0%))
- 2 .habitatype-4010.xml (cf. CON: actual value: 20; favourable reference value: <20; trend: =; sub-conclusion: U2 (>10%: 0%))

### 2.6.5 Conclusion for habitat overall assessment

*Issue 18900 Overall assessment not in line with sub-conclusions*

- 1 .habitatype-7220.xml (cf. CON: sub-conclusions: FV; FV; U1; FV; overall conclusion: FV)
- 2 .habitatype-9120.xml (cf. CON: sub-conclusions: FV; FV; XX; U1; overall conclusion: U2)

## SPECIES REPORTING - Errors detected by QA/QC procedure

### 1.1 Map of Species range

*Issue 7216 The spatial information does not occur in all the regions reported in the XML*


- 1 .map-range-spec-hirudo-medicinalis.gml (cf. CON: MAP)
- 2 .map-range-spec-vespertilio-murinus.gml (cf. CON: MAP)

### 1.2 Map of Species distribution

*Issue 7241 The spatial information does not occur in all the regions reported in the XML*

- 1 .map-distribution-spec-hirudo-medicinalis.gml (cf. CON: MAP)
- 2 .map-distribution-spec-vespertilio-murinus.gml (cf. CON: MAP)

Issue 7245 *Distribution, or a portion of it, does not lie within the Range of the same species*



- 1 . map-distribution-spec-luronium-natans.gml (cf. MAP : )
- 2 . map-distribution-spec-myotis-mystacinus.gml (cf. MAP : )

2.3.5 Species range trend magnitude - optional

Issue 8230 *Trend magnitude must be a positive number, direction of the trend is given in the trend field*

- 1 . species-barbastella-barbastellus.xml (cf. CON: -5378)
- 2 . species-bufo-calamita.xml (cf. CON: -200)
- 3 . species-euphydrias-aurinia.xml (cf. CON: -525)
- 4 . species-lucanus-cervus.xml (cf. CON: -100)

Issue 8250 *Magnitude should not be smaller than actual value if trend is positive. If values are equal, this means that the value at the beginning of the trend period was zero. This is possible e.g. for new findings of species/habitat type or for new arriving species and the "other relevant information" field should reflect this*

- 1 . species-cobitis-taenia.xml (cf. CON: actual value: 50; trend: +; magnitude: +50)
- 2 . species-petromyzon-marinus.xml (cf. ATL: actual value: 150; trend: +; magnitude: 150)

2.4.6 Species population trend magnitude

Issue 9870 *Magnitude should not be smaller than actual maximum population if trend is positive. If values are equal, this means that the value at the beginning of the trend period was zero. This is possible e.g. for new findings of species/habitat type or for new arriving species and the "other relevant information" field should reflect this*

- 1 . species-cottus-gobio.xml (cf. ATL: actual value: 34; trend: +; magnitude: 34)
- 2 . species-lampetra-fluviatilis.xml (cf. ATL: actual value: 23; trend: +; magnitude: 46)
- 3 . species-petromyzon-marinus.xml (cf. ATL: actual value: 2; trend: +; magnitude: 2)

2.5.2 Species habitat area estimation



*Issue 11400 Species area habitat should not be larger than surface of range*

- 1 . species-lutra-lutra.xml (cf. ATL: range: 2672; habitat area: 3460)

**2.6 Future prospects for the species (not conclusion)**

*Issue 12250 The future prospects (2.6) for the species are not in concordance with the conclusion on future prospects (2.8.4)*

- 1 . species-lampetra-planeri.xml (cf. CON: 2.6 future prospects: Poor; 2.8.4 conclusion future prospects: FV)
- 2 . species-lutra-lutra.xml (cf. CON: 2.6 future prospects: Poor; 2.8.4 conclusion future prospects: U2+)
- 3 . species-mustela-putorius.xml (cf. CON: 2.6 future prospects: Unknown; 2.8.4 conclusion future prospects: FV)
- 4 . species-myotis-nattereri.xml (cf. CON: 2.6 future prospects: Unknown; 2.8.4 conclusion future prospects: U1)
- 5 . species-phocoena-phocoena.xml (cf. MATL: 2.6 future prospects: Unknown; 2.8.4 conclusion future prospects: U1)
- 6 . species-pipistrellus-nathusii.xml (cf. CON: 2.6 future prospects: [no value reported]; 2.8.4 conclusion future prospects: XX)
- 7 . species-sphagnum-spp..xml (cf. CON: 2.6 future prospects: Poor; 2.8.4 conclusion future prospects: U2+)
- 8 . species-tursiops-truncatus.xml (cf. MATL: 2.6 future prospects: Bad; 2.8.4 conclusion future prospects: U1)
- 9 . species-vespertilio-murinus.xml (cf. ATL: 2.6 future prospects: Unknown; 2.8.4 conclusion future prospects: FV)

**2.7.1 Favourable reference species range**

*Issue 12410 Reference value should not be lower than actual value, or use of qualifier "More than" or "Much more than" for reference value lower than actual value make the sub-conclusion doubtful according to Addendum #2 of the Explanatory Notes and Guidelines*

- 1 . species-callimorpha-quadrupunctaria.xml (cf. CON: actual value = 5700; reference value = 5650)
- 2 . species-cladonia-spp.-\_subgenus-cladina\_.xml (cf. CON: actual value = 4242; reference value = 4000)
- 3 . species-euphydryas-aurinia.xml (cf. CON: actual value = 1483; reference value = 200)
- 4 . species-felis-silvestris.xml (cf. CON: actual value = 8488; reference value = 8400)
- 5 . species-leucobryum-glaucum.xml (cf. CON: actual value = 10455; reference value = 10000)
- 6 . species-leucobryum-glaucum.xml (cf. ATL: actual value = 6576; reference value = 6496)
- 7 . species-martes-martes.xml (cf. CON: actual value = 9824; reference value = 9673)
- 8 . species-mustela-putorius.xml (cf. CON: actual value = 11888; reference value = 11800)
- 9 . species-myotis-bechsteini.xml (cf. CON: actual value = 7056; reference value = 7000)
- 10 . species-myotis-brandtii.xml (cf. CON: actual value = 10925; reference value = 10000)
- 11 . species-myotis-daubentonii.xml (cf. CON: actual value = 11349; reference value = 10000)
- 12 . species-myotis-emarginatus.xml (cf. CON: actual value = 10561; reference value = 10000)
- 13 . species-myotis-myotis.xml (cf. CON: actual value = 10392; reference value = 10000)
- 14 . species-myotis-mystacinus.xml (cf. CON: actual value = 10925; reference value = 10000)
- 15 . species-myotis-nattereri.xml (cf. CON: actual value = 10973; reference value = 10000)
- 16 . species-pipistrellus-pipistrellus.xml (cf. CON: actual value = 11293; reference value = 10000)
- 17 . species-plecotus-auritus.xml (cf. CON: actual value = 10990; reference value = 10000)
- 18 . species-plecotus-austriacus.xml (cf. CON: actual value = 10990; reference value = 10000)
- 19 . species-rhinolophus-ferrumequinum.xml (cf. CON: actual value = 10230; reference value = 10000)

20 .species-sphagnum-spp..xml (cf. CON: actual value = 7278; reference value = 7000)

21 .species-sphagnum-spp..xml (cf. ATL: actual value = 8624; reference value = 4960)

## 2.7.2 Favourable reference species population

*Issue 12710 Reference value usually should not be lower than actual minimum value (or than maximum value if minimum was not provided). If lower values were correctly provided, an explanation is needed in the "complementary other information" field. If qualifiers "More than" or "Much more than" were used for a reference value that is lower than the actual value, this make the sub-conclusion doubtful according to Addendum #2 of the Explanatory Notes and Guidelines*

1 .species-alytes-obstetricans.xml (cf. CON: actual value = 680; reference value = 650)

2 .species-astacus-astacus.xml (cf. CON: actual value = 2025; reference value = 25)

3 .species-barbus-barbus.xml (cf. CON: actual value = 3150; reference value = 2500)

4 .species-cottus-gobio.xml (cf. CON: actual value = 6450; reference value = 4000)

5 .species-felis-silvestris.xml (cf. CON: actual value = 3300; reference value = 3000)

6 .species-lampetra-planeri.xml (cf. CON: actual value = 6425; reference value >4000)

7 .species-leucobryum-glaucum.xml (cf. ATL: actual value = 151; reference value = 137)

8 .species-muscardinus-avellanarius.xml (cf. CON: actual value = 9700; reference value = 9000)

9 .species-mustela-putorius.xml (cf. CON: actual value = 11500; reference value = 10000)

10 .species-oxygastra-curtisii.xml (cf. CON: actual value = 36; reference value = 20)

11 .species-podarcis-muralis.xml (cf. CON: actual value = 686; reference value = 500)

12 .species-rana-esculenta.xml (cf. CON: actual value = 900; reference value = 800)

13 .species-rana-temporaria.xml (cf. CON: actual value = 1990; reference value = 1200)

14 .species-sphagnum-spp..xml (cf. ATL: actual value = 328; reference value = 312)

## 2.8.1 Conclusion for species range

*Issue 13110 Conclusion unexpected according to provided values*

1 .species-apium-repens.xml (cf. ATL: actual value: 96; favourable reference value: 96; trend: =; sub-conclusion: U1 (>10%: 0%))

2 .species-bufo-calamita.xml (cf. CON: actual value: 2591; favourable reference value: 2591; trend: -; sub-conclusion: FV (>10%: 0%))

3 .species-cobitis-taenia.xml (cf. CON: actual value: 50; favourable reference value: 50; trend: +; sub-conclusion: XX (>10%: 0%))

4 .species-halichoerus-grypus.xml (cf. MATL: actual value: 3451; favourable reference value: 3651; trend: =; sub-conclusion: FV (>10%: 5.5%))

5 .species-lucanus-cervus.xml (cf. CON: actual value: 4627; favourable reference value: 4627; trend: -; sub-conclusion: FV (>10%: 0%))

6 .species-luronium-natans.xml (cf. ATL: actual value: 3409; favourable reference value: 3409; trend: -; sub-conclusion: FV (>10%: 0%))

7 .species-mustela-putorius.xml (cf. CON: actual value: 11888; favourable reference value: 11800; trend: -; sub-conclusion: FV (>10%: -0.7%))

8 .species-myotis-dasycneme.xml (cf. CON: actual value: 4782; favourable reference value: 5000; trend: =; sub-conclusion: FV (>10%: 4.4%))

9 .species-tursiops-truncatus.xml (cf. MATL: actual value: 3462; favourable reference value: 3462; trend: =; sub-

conclusion: U2 (>10%: 0%))

## 2.8.2 Conclusion for species population

### *Issue 13130 Conclusion unexpected according to provided values*

- 1 . species-barbus-barbus.xml (cf. ATL: actual value: 200; favourable reference value: >200; trend: +; sub-conclusion: FV (>25%: 0%))
- 2 . species-lampetra-planeri.xml (cf. CON: actual value: 6425; favourable reference value: >4000; trend: =; sub-conclusion: FV (>25%: -60.6%))
- 3 . species-leucobryum-glaucum.xml (cf. ATL: actual value: 151; favourable reference value: 137; trend: -; sub-conclusion: FV (>25%: -10.2%))

### *Issue 13137 Conclusion unexpected according to provided values, unless reproduction, mortality and age structure are deviating from normal even if population trend is still stable or increasing*

- 1 . species-felis-silvestris.xml (cf. CON: actual value: 3300; favourable reference value: 3000; trend: =; sub-conclusion: U1+)
- 2 . species-vertigo-moulinsiana.xml (cf. ATL: actual value: 100; favourable reference value: 94; trend: =; sub-conclusion: U1)

## 2.8.5 Conclusion for species overall assessment

### *Issue 13300 Overall assessment not in line with sub-conclusions*

- 1 . species-felis-silvestris.xml (cf. CON: sub-conclusions: FV; U1+; XX; FV; overall conclusion: FV)
- 2 . species-mustela-putorius.xml (cf. CON: sub-conclusions: FV; U1-; XX; FV; overall conclusion: XX)
- 3 . species-unio-crassus.xml (cf. CON: sub-conclusions: U1; U1-; XX; XX; overall conclusion: XX)

## SPECIES REPORTING - Assessments given as unknown or not provided for all parameters

## 2.8.5 Conclusion for species overall assessment

### *Issue 13350 All sub-conclusions and overall assessment were provided as unknown or not reported. This indicates poor knowledge of the species or an assessment not performed*

- 1 . species-anisus-vorticulus.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 2 . species-callimorpha-quadripunctaria.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 3 . species-cobitis-taenia.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 4 . species-dicranum-viride.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 5 . species-drepanocladus-vernicosus.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 6 . species-erigogaster-catax.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 7 . species-helix-pomatia.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 8 . species-hirudo-medicinalis.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 9 . species-hirudo-medicinalis.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 10 . species-nyctalus-leisleri.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 11 . species-nyctalus-noctula.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 12 . species-pipistrellus-nathusii.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 13 . species-proserpinus-proserpina.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 14 . species-rana-lessonae.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)

- 15 .species-rana-lessonae.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 16 .species-rana-ridibunda.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 17 .species-trichomanes-speciosum.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 18 .species-unio-crassus.xml (cf. ATL: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)
- 19 .species-vertigo-moulinsiana.xml (cf. CON: sub-conclusions: XX; XX; XX; XX; overall conclusion: XX)

## HABITATS REPORTING - Mandatory data not reported or not following the agreed format

### 0. General issues

*Issue 13450* **Annex I Habitat type listed in reference list but not reported at MS or biogeographical level. The respective XML and GML were not provided**

- 1 .8110 (cf. CON: |No report provided for habitat|) (mentioned in 11 sites in CON)
- 2 .8230 (cf. CON: |No report provided for habitat|) (mentioned in 9 sites in CON)

*Issue 13460* **Annex I Habitat type listed in reference list in several biogeographical regions but not reported in biogeographical regions where present according to the reference list**

- 1 .habitattype-1110.xml\* (cf. MATL: |habitat not reported in biogeographical region|) (ATL changed into MATL)
- 2 .habitattype-3110.xml (cf. CON: |habitat not reported in biogeographical region|) (mentioned in 2 sites: 1 in CON only: BE32039B0, 1 in CON&ATL: BE32029B0, both with relative surface B)

### 2.5.3 Typical species for habitat

*Issue 18000* **Mandatory information missing or species names likely to be misspelled or unknown to taxonomic references**

- 1 .habitattype-1110.xml (cf. ATL: |no value reported|)
- 2 .habitattype-1130.xml (cf. ATL: |no value reported|)
- 3 .habitattype-1140.xml (cf. ATL: |no value reported|)
- 4 .habitattype-2180.xml (cf. ATL: |no value reported|)
- 5 .habitattype-2330.xml (cf. ATL: Aira caryophillea, Corynephorus canescens)
- 6 .habitattype-2330.xml (cf. CON: Aira caryophillea, Corynephorus canescens)
- 7 .habitattype-3260.xml (cf. ATL: Cinclidotus dancubicus)
- 8 .habitattype-6110.xml (cf. CON: Sempervivum funckii var. aqualiense)
- 9 .habitattype-7220.xml (cf. ATL: |no value reported|)
- 10 .habitattype-8310.xml (cf. ATL: |no value reported|, |no value reported|)
- 11 .habitattype-8310.xml (cf. CON: |no value reported|, |no value reported|)

### 2.5.4 Typical species assessment

*Issue 18300* **Mandatory information missing**

- 1 .habitattype-7120.xml (cf. CON: |no text provided|)

## SPECIES REPORTING - Mandatory data not reported or not following the agreed format

### 0. General issues

*Issue 6860 Annex II species mentioned on reference list in several biogeographical regions but not reported in biogeographical regions where present according to the reference list*

- 1 .species-lampetra-fluviatilis.xml (cf. CON: |species not reported in biogeographical region|) (mentioned in 1 site in CON only: BE33004B0, population: A)
- 2 .species-salmo-salar.xml (cf. CON: |species not reported in biogeographical region|) (mentioned in 1 site in CON only: BE33004B0, population: A)

**1.1 Map of Species range**

*Issue 7205 GML file with incorrect structure or empty file*

- 1 .map-range-spec-rana-ridibunda.gml (cf. MAP: )

**1.2 Map of Species distribution**

*Issue 7230 GML file with incorrect structure or empty file*

- 1 .map-distribution-spec-rana-ridibunda.gml (cf. MAP: )

**2.3.1 Surface range of the species**

*Issue 7500 Mandatory information missing, equal to 0, negative or not numeric. Any such values were not taken into account for the composite report*

- 1 .species-cricetus-cricetus.xml (cf. CON: 0)
- 2 .species-helix-pomatia.xml (cf. CON: |no value reported|)
- 3 .species-hirudo-medicinalis.xml (cf. CON: 0)
- 4 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 5 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 6 .species-rana-ridibunda.xml (cf. ATL: 0)
- 7 .species-rhinolophus-hipposideros.xml (cf. ATL: 0)
- 8 .species-unio-crassus.xml (cf. ATL: 0)

**2.3.2 Date of species range determination**

*Issue 7800 Mandatory information missing or value not in line with rules [MM/YYYY, YYYY or YYYY-YYYY where YYYY between (1900-2006) and MM between (01-12)]*

- 1 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 2 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

**2.3.3 Quality of data concerning species range**

*Issue 8000 Mandatory information missing or values not within ["good", "moderate", "poor"]. Any other values were not taken into account for the composite report*

- 1 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 2 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

**2.3.4 Species range trend**

*Issue 8200 Mandatory information missing or values not within ["+", "-", "=", "X"]. Any other values were not taken into account for the composite report*

- 1 .species-dicranum-viride.xml (cf. CON: |no value reported|)
- 2 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

**2.3.6 Species range trend period**

*Issue 8300 Mandatory information missing or value not in line with rules [YYYY or YYYY-YYYY where YYYY between (1900-2006)]*

- 1 .species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|)
- 2 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 3 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 4 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

#### 2.4.1 Species population size estimation

*Issue 8800* **Mandatory information missing, equal to 0, negative or not numeric, or minimum value larger than the maximum value. Any such values were not taken into account for the composite report**

- 1 .species-cricetus-cricetus.xml (cf. CON: Min: |no value reported| / Max: 0)
- 2 .species-helix-pomatia.xml (cf. CON: Min: |no value reported| / Max: |no value reported|)
- 3 .species-hirudo-medicinalis.xml (cf. CON: Min: 0 / Max: 0)
- 4 .species-lampetra-fluviatilis.xml (cf. MATL: Min: 0 / Max: |no value reported|)
- 5 .species-nyctalus-noctula.xml (cf. CON: Min: |no value reported| / Max: |no value reported|)
- 6 .species-pipistrellus-nathusii.xml (cf. CON: Min: |no value reported| / Max: |no value reported|)
- 7 .species-pipistrellus-pipistrellus.xml (cf. CON: Min: |no value reported| / Max: |no value reported|)
- 8 .species-rana-ridibunda.xml (cf. ATL: Min: 0 / Max: |no value reported|)
- 9 .species-rhinolophus-hipposideros.xml (cf. ATL: Min: 0 / Max: 0)
- 10 .species-unio-crassus.xml (cf. ATL: Min: 0 / Max: 0)

#### 2.4.1 Species population unit

*Issue 9000* **Population is indicated but no unit is specified or the unit is not within the accepted options. If unit "other" was used, no indication was provided about the unit in "other relevant information" field or in a separate file in other files section**

- 1 .species-cricetus-cricetus.xml (cf. ATL: Other)
- 2 .species-margaritifera-margaritifera.xml (cf. CON: |no value reported|)

#### 2.4.2 Date of species population estimation

*Issue 9300* **Mandatory information missing or value not in line with rules [MM/YYYY, YYYY or YYYY-YYYY where YYYY between (1900-2006) and MM between (01-12)]**

- 1 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 2 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

#### 2.4.3 Method used for species population estimation

*Issue 9500* **Mandatory information missing or reported value(s) not matching those proposed**

- 1 .species-helix-pomatia.xml (cf. CON: |no value reported|)
- 2 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 3 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 4 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 5 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)

#### 2.4.4 Quality of the data concerning species population

*Issue 9700* **Mandatory information missing or values not within ["good", "moderate", "poor"]. Any other values were not taken into account for the composite report**

- 1 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 2 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

3 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)

#### 2.4.5 Species population trend

*Issue 9820 Mandatory information missing or values not within ["+", "-", "=", "X"]. Any other values were not taken into account for the composite report*

1 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

2 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)

#### 2.4.7 Species population trend period

*Issue 9900 Mandatory information missing or value not in line with rules [YYYY or YYYY-YYYY where YYYY between (1900-2006)]*

1 .species-callimorpha-quadripunctaria.xml (cf. CON: |no value reported|)

2 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)

3 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)

4 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

#### 2.5.2 Species habitat area estimation

*Issue 11150 Mandatory information missing, equal to 0, negative or not numeric. Any such values were not taken into account for the composite report*

1 .species-alosa-fallax.xml (cf. ATL: |no value reported|)

2 .species-alosa-fallax.xml (cf. MATL: |no value reported|)

3 .species-alytes-obstetricans.xml (cf. ATL: |no value reported|)

4 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)

5 .species-anisus-vorticulus.xml (cf. ATL: |no value reported|)

6 .species-apium-repens.xml (cf. ATL: |no value reported|)

7 .species-arnica-montana.xml (cf. CON: |no value reported|)

8 .species-astacus-astacus.xml (cf. CON: |no value reported|)

9 .species-barbastella-barbastellus.xml (cf. ATL: |no value reported|)

10 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)

11 .species-barbus-barbus.xml (cf. ATL: |no value reported|)

12 .species-barbus-barbus.xml (cf. CON: |no value reported|)

13 .species-bromus-grossus.xml (cf. CON: |no value reported|)

14 .species-bufo-calamita.xml (cf. ATL: |no value reported|)

15 .species-bufo-calamita.xml (cf. CON: |no value reported|)

16 .species-callimorpha-quadripunctaria.xml (cf. ATL: |no value reported|)

17 .species-callimorpha-quadripunctaria.xml (cf. CON: |no value reported|)

18 .species-castor-fiber.xml (cf. ATL: |no value reported|)

19 .species-cobitis-taenia.xml (cf. ATL: |no value reported|)

20 .species-cobitis-taenia.xml (cf. CON: |no value reported|)

21 .species-coenagrion-mercuriale.xml (cf. CON: |no value reported|)

22 .species-coronella-austriaca.xml (cf. ATL: |no value reported|)

23 .species-coronella-austriaca.xml (cf. CON: |no value reported|)

- 24 . species-cottus-gobio.xml (cf. ATL: |no value reported|)
- 25 . species-cottus-gobio.xml (cf. CON: |no value reported|)
- 26 . species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 27 . species-dicranum-viride.xml (cf. CON: |no value reported|)
- 28 . species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|)
- 29 . species-eptesicus-serotinus.xml (cf. ATL: |no value reported|)
- 30 . species-eptesicus-serotinus.xml (cf. CON: |no value reported|)
- 31 . species-eriogaster-catax.xml (cf. CON: |no value reported|)
- 32 . species-felis-silvestris.xml (cf. CON: |no value reported|)
- 33 . species-helix-pomatia.xml (cf. ATL: |no value reported|)
- 34 . species-helix-pomatia.xml (cf. CON: |no value reported|)
- 35 . species-hirudo-medicinalis.xml (cf. ATL: |no value reported|)
- 36 . species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 37 . species-hyla-arborea.xml (cf. ATL: |no value reported|)
- 38 . species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 39 . species-lampetra-fluviatilis.xml (cf. ATL: |no value reported|)
- 40 . species-lampetra-fluviatilis.xml (cf. MATL: |no value reported|)
- 41 . species-lampetra-planeri.xml (cf. ATL: |no value reported|)
- 42 . species-lampetra-planeri.xml (cf. CON: |no value reported|)
- 43 . species-leucobryum-glaucum.xml (cf. CON: |no value reported|)
- 44 . species-leucorrhinia-pectoralis.xml (cf. ATL: |no value reported|)
- 45 . species-liparis-loeselii.xml (cf. CON: |no value reported|)
- 46 . species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 47 . species-luronium-natans.xml (cf. CON: |no value reported|)
- 48 . species-lutra-lutra.xml (cf. CON: |no value reported|)
- 49 . species-maculinea-arion.xml (cf. CON: |no value reported|)
- 50 . species-martes-martes.xml (cf. CON: |no value reported|)
- 51 . species-misgurnus-fossilis.xml (cf. ATL: |no value reported|)
- 52 . species-muscardinus-avellanarius.xml (cf. CON: |no value reported|)
- 53 . species-mustela-putorius.xml (cf. CON: |no value reported|)
- 54 . species-myotis-bechsteini.xml (cf. ATL: |no value reported|)
- 55 . species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 56 . species-myotis-brandtii.xml (cf. ATL: |no value reported|)
- 57 . species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 58 . species-myotis-dasytneme.xml (cf. ATL: |no value reported|)
- 59 . species-myotis-dasytneme.xml (cf. CON: |no value reported|)
- 60 . species-myotis-daubentonii.xml (cf. ATL: |no value reported|)



- 61 . species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 62 . species-myotis-emarginatus.xml (cf. ATL: |no value reported|)
- 63 . species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 64 . species-myotis-myotis.xml (cf. ATL: |no value reported|)
- 65 . species-myotis-myotis.xml (cf. CON: |no value reported|)
- 66 . species-myotis-mystacinus.xml (cf. ATL: |no value reported|)
- 67 . species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 68 . species-myotis-nattereri.xml (cf. ATL: |no value reported|)
- 69 . species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 70 . species-nyctalus-leisleri.xml (cf. ATL: |no value reported|)
- 71 . species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 72 . species-nyctalus-noctula.xml (cf. ATL: |no value reported|)
- 73 . species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 74 . species-oxygastra-curtisii.xml (cf. CON: |no value reported|)
- 75 . species-pelobates-fuscus.xml (cf. ATL: |no value reported|)
- 76 . species-petromyzon-marinus.xml (cf. ATL: |no value reported|)
- 77 . species-pipistrellus-nathusii.xml (cf. ATL: |no value reported|)
- 78 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 79 . species-pipistrellus-pipistrellus.xml (cf. ATL: |no value reported|)
- 80 . species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 81 . species-plecotus-auritus.xml (cf. ATL: |no value reported|)
- 82 . species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 83 . species-plecotus-austriacus.xml (cf. ATL: |no value reported|)
- 84 . species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 85 . species-podarcis-muralis.xml (cf. CON: |no value reported|)
- 86 . species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 87 . species-rana-arvalis.xml (cf. ATL: |no value reported|)
- 88 . species-rana-esculenta.xml (cf. ATL: |no value reported|)
- 89 . species-rana-esculenta.xml (cf. CON: |no value reported|)
- 90 . species-rana-lessonae.xml (cf. ATL: |no value reported|)
- 91 . species-rana-lessonae.xml (cf. CON: |no value reported|)
- 92 . species-rana-ridibunda.xml (cf. ATL: |no value reported|)
- 93 . species-rana-temporaria.xml (cf. ATL: |no value reported|)
- 94 . species-rana-temporaria.xml (cf. CON: |no value reported|)
- 95 . species-rhinolophus-ferrumequinum.xml (cf. ATL: |no value reported|)
- 96 . species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 97 . species-rhinolophus-hipposideros.xml (cf. ATL: |no value reported|)

- 98 .species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 99 .species-rhodeus-sericeus-amarus.xml (cf. ATL: |no value reported|)
- 100 .species-rhodeus-sericeus-amarus.xml (cf. CON: |no value reported|)
- 101 .species-salmo-salar.xml (cf. ATL: |no value reported|)
- 102 .species-thymallus-thymallus.xml (cf. CON: |no value reported|)
- 103 .species-trichomanes-speciosum.xml (cf. CON: |no value reported|)
- 104 .species-triturus-cristatus.xml (cf. ATL: |no value reported|)
- 105 .species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 106 .species-unio-crassus.xml (cf. CON: |no value reported|)
- 107 .species-unio-crassus.xml (cf. ATL: 0)
- 108 .species-vertigo-angustior.xml (cf. ATL: |no value reported|)
- 109 .species-vertigo-moulinsiana.xml (cf. CON: |no value reported|)
- 110 .species-vespertilio-murinus.xml (cf. ATL: |no value reported|)

### 2.5.3 Species habitat area date of estimation

*Issue 11450 Mandatory information missing or value not in line with rules [MM/YYYY, YYYY or YYYY-YYYY where YYYY between (1900-2006) and MM between (01-12)]*

- 1 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)
- 2 .species-arnica-montana.xml (cf. CON: |no value reported|)
- 3 .species-astacus-astacus.xml (cf. CON: |no value reported|)
- 4 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)
- 5 .species-barbus-barbus.xml (cf. CON: |no value reported|)
- 6 .species-bromus-grossus.xml (cf. CON: |no value reported|)
- 7 .species-bufo-calamita.xml (cf. CON: |no value reported|)
- 8 .species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|)
- 9 .species-cobitis-taenia.xml (cf. CON: |no value reported|)
- 10 .species-coenagrion-mercuriale.xml (cf. CON: |no value reported|)
- 11 .species-coronella-austriaca.xml (cf. CON: |no value reported|)
- 12 .species-cottus-gobio.xml (cf. CON: |no value reported|)
- 13 .species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 14 .species-dicranum-viride.xml (cf. CON: |no value reported|)
- 15 .species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|)
- 16 .species-eptesticus-serotinus.xml (cf. CON: |no value reported|)
- 17 .species-eriogaster-catax.xml (cf. CON: |no value reported|)
- 18 .species-felis-silvestris.xml (cf. CON: |no value reported|)
- 19 .species-helix-pomatia.xml (cf. CON: |no value reported|)
- 20 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 21 .species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 22 .species-lampetra-planeri.xml (cf. CON: |no value reported|)

- 23 .species-leucobryum-glaucum.xml (cf. CON: |no value reported|)
- 24 .species-liparis-loeselii.xml (cf. CON: |no value reported|)
- 25 .species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 26 .species-luronium-natans.xml (cf. CON: |no value reported|)
- 27 .species-lutra-lutra.xml (cf. CON: |no value reported|)
- 28 .species-maculinea-arion.xml (cf. CON: |no value reported|)
- 29 .species-martes-martes.xml (cf. CON: |no value reported|)
- 30 .species-muscardinus-avellanarius.xml (cf. CON: |no value reported|)
- 31 .species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 32 .species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 33 .species-myotis-dasychneme.xml (cf. CON: |no value reported|)
- 34 .species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 35 .species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 36 .species-myotis-myotis.xml (cf. CON: |no value reported|)
- 37 .species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 38 .species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 39 .species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 40 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 41 .species-oxygastra-curtisii.xml (cf. CON: |no value reported|)
- 42 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 43 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 44 .species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 45 .species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 46 .species-podarcis-muralis.xml (cf. CON: |no value reported|)
- 47 .species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 48 .species-rana-esculenta.xml (cf. CON: |no value reported|)
- 49 .species-rana-lessonae.xml (cf. CON: |no value reported|)
- 50 .species-rana-temporaria.xml (cf. CON: |no value reported|)
- 51 .species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 52 .species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 53 .species-rhodeus-sericeus-amarus.xml (cf. CON: |no value reported|)
- 54 .species-trichomanes-speciosum.xml (cf. CON: |no value reported|)
- 55 .species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 56 .species-unio-crassus.xml (cf. CON: |no value reported|)
- 57 .species-vertigo-mouliinsiana.xml (cf. CON: |no value reported|)

#### 2.5.4 Quality of the data concerning species habitat area

*Issue 11550 Mandatory information missing or values not within ["good", "moderate", "poor"]. Any other values were not taken into account for the composite report*

- 1 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)
- 2 .species-arnica-montana.xml (cf. CON: |no value reported|)
- 3 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)
- 4 .species-bromus-grossus.xml (cf. CON: |no value reported|)
- 5 .species-bufo-calamita.xml (cf. CON: |no value reported|)
- 6 .species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|)
- 7 .species-cobitis-taenia.xml (cf. CON: |no value reported|)
- 8 .species-coronella-austriaca.xml (cf. CON: |no value reported|)
- 9 .species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 10 .species-dicranum-viride.xml (cf. CON: |no value reported|)
- 11 .species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|)
- 12 .species-epitesicus-serotinus.xml (cf. CON: |no value reported|)
- 13 .species-eriogaster-catax.xml (cf. CON: |no value reported|)
- 14 .species-helix-pomatia.xml (cf. CON: |no value reported|)
- 15 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 16 .species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 17 .species-leucobryum-glaucum.xml (cf. CON: |no value reported|)
- 18 .species-liparis-loeselii.xml (cf. CON: |no value reported|)
- 19 .species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 20 .species-luronium-natans.xml (cf. CON: |no value reported|)
- 21 .species-maculinea-arion.xml (cf. CON: |no value reported|)
- 22 .species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 23 .species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 24 .species-myotis-dasycneme.xml (cf. ATL: |no value reported|)
- 25 .species-myotis-dasycneme.xml (cf. CON: |no value reported|)
- 26 .species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 27 .species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 28 .species-myotis-myotis.xml (cf. CON: |no value reported|)
- 29 .species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 30 .species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 31 .species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 32 .species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 33 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 34 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 35 .species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 36 .species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 37 .species-podarcis-muralis.xml (cf. CON: |no value reported|)

- 38 .species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 39 .species-rana-esculenta.xml (cf. CON: |no value reported|)
- 40 .species-rana-lessonae.xml (cf. CON: |no value reported|)
- 41 .species-rana-temporaria.xml (cf. CON: |no value reported|)
- 42 .species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 43 .species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 44 .species-trichomanes-speciosum.xml (cf. CON: |no value reported|)
- 45 .species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 46 .species-vertigo-moulinsiana.xml (cf. CON: |no value reported|)

### 2.5.5 Species habitat area trend

*Issue 11650 Mandatory information missing or values not within ["+", "-", "=", "X"]. Any other values were not taken into account for the composite report*

- 1 .species-alosa-fallax.xml (cf. MATL: |no value reported|)
- 2 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)
- 3 .species-arnica-montana.xml (cf. CON: |no value reported|)
- 4 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)
- 5 .species-bufo-calamita.xml (cf. CON: |no value reported|)
- 6 .species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|)
- 7 .species-cobitis-taenia.xml (cf. CON: |no value reported|)
- 8 .species-coronella-austriaca.xml (cf. CON: |no value reported|)
- 9 .species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 10 .species-eptesicus-serotinus.xml (cf. CON: |no value reported|)
- 11 .species-eriogaster-catax.xml (cf. CON: |no value reported|)
- 12 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 13 .species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 14 .species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 15 .species-maculinea-arion.xml (cf. CON: |no value reported|)
- 16 .species-martes-martes.xml (cf. CON: |no value reported|)
- 17 .species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 18 .species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 19 .species-myotis-dasychneme.xml (cf. CON: |no value reported|)
- 20 .species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 21 .species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 22 .species-myotis-myotis.xml (cf. CON: |no value reported|)
- 23 .species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 24 .species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 25 .species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 26 .species-oxygastra-curtisii.xml (cf. CON: |no value reported|)

- 27 .species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 28 .species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 29 .species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 30 .species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 31 .species-podarcis-muralis.xml (cf. CON: |no value reported|)
- 32 .species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 33 .species-rana-esculenta.xml (cf. CON: |no value reported|)
- 34 .species-rana-lessonae.xml (cf. CON: |no value reported|)
- 35 .species-rana-temporaria.xml (cf. CON: |no value reported|)
- 36 .species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 37 .species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 38 .species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 39 .species-vertigo-moulinsiana.xml (cf. CON: |no value reported|)

#### 2.5.6 Species habitat area trend period

*Issue 11750 Mandatory information missing or value not in line with rules [YYYY or YYYY-YYYY where YYYY between (1900-2006)]*

- 1 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)
- 2 .species-arnica-montana.xml (cf. CON: |no value reported|)
- 3 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)
- 4 .species-bromus-grossus.xml (cf. CON: |no value reported|)
- 5 .species-bufo-calamita.xml (cf. CON: |no value reported|)
- 6 .species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|)
- 7 .species-cobitis-taenia.xml (cf. CON: |no value reported|)
- 8 .species-coronella-austriaca.xml (cf. CON: |no value reported|)
- 9 .species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 10 .species-dicranum-viride.xml (cf. CON: |no value reported|)
- 11 .species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|)
- 12 .species-eptesicus-serotinus.xml (cf. CON: |no value reported|)
- 13 .species-erigaster-catax.xml (cf. CON: |no value reported|)
- 14 .species-helix-pomatia.xml (cf. CON: |no value reported|)
- 15 .species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 16 .species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 17 .species-leucobryum-glaucum.xml (cf. CON: |no value reported|)
- 18 .species-liparis-loeselii.xml (cf. CON: |no value reported|)
- 19 .species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 20 .species-luronium-natans.xml (cf. CON: |no value reported|)
- 21 .species-lutra-lutra.xml (cf. CON: |no value reported|)
- 22 .species-maculinea-arion.xml (cf. CON: |no value reported|)

- 23 . species-martes-martes.xml (cf. CON: |no value reported|)
- 24 . species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 25 . species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 26 . species-myotis-dasycneme.xml (cf. CON: |no value reported|)
- 27 . species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 28 . species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 29 . species-myotis-myotis.xml (cf. CON: |no value reported|)
- 30 . species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 31 . species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 32 . species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 33 . species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 34 . species-oxygastra-curtisii.xml (cf. CON: |no value reported|)
- 35 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 36 . species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 37 . species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 38 . species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 39 . species-podarcis-muralis.xml (cf. CON: |no value reported|)
- 40 . species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 41 . species-rana-esculenta.xml (cf. CON: |no value reported|)
- 42 . species-rana-lessonae.xml (cf. CON: |no value reported|)
- 43 . species-rana-temporaria.xml (cf. CON: |no value reported|)
- 44 . species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 45 . species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 46 . species-trichomanes-speciosum.xml (cf. CON: |no value reported|)
- 47 . species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 48 . species-vertigo-moulinsiana.xml (cf. CON: |no value reported|)

## 2.6 Future prospects for the species (not conclusion)

*Issue 12200 Mandatory information missing or values not within ["good", "poor", "bad", "unknown"]. Any other values were not taken into account for the composite report*

- 1 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)

## 2.7.1 Favourable reference species range

*Issue 12400 Mandatory information missing, equal to 0, negative or not numeric. Any such values were not taken into account for the composite report*

- 1 . species-dicranum-viride.xml (cf. CON: |no value reported|; |no operator selected|)
- 2 . species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|; |no operator selected|)
- 3 . species-erigaster-catax.xml (cf. CON: |no value reported|; |no operator selected|)
- 4 . species-hirudo-medicinalis.xml (cf. CON: |no value reported|; |no operator selected|)
- 5 . species-liparis-loeselii.xml (cf. CON: |no value reported|; |no operator selected|)

- 6 . species-lurionium-natans.xml (cf. CON: |no value reported|; |no operator selected|)
- 7 . species-nyctalus-leisleri.xml (cf. CON: |no value reported|; |no operator selected|)
- 8 . species-nyctalus-noctula.xml (cf. CON: |no value reported|; |no operator selected|)
- 9 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|; |no operator selected|)
- 10 . species-proserpinus-proserpina.xml (cf. CON: |no value reported|; |no operator selected|)
- 11 . species-rana-ridibunda.xml (cf. ATL: 0; Much more than)
- 12 . species-rhinolophus-hipposideros.xml (cf. ATL: 0; Much more than)
- 13 . species-trichomanes-speciosum.xml (cf. CON: |no value reported|; |no operator selected|)
- 14 . species-unio-crassus.xml (cf. ATL: 0; Much more than)
- 15 . species-vertigo-moulinsiana.xml (cf. CON: |no value reported|; |no operator selected|)

### 2.7.2 Favourable reference species population

*Issue 12700 Mandatory information missing, equal to 0, negative or not numeric. Any such values were not taken into account for the composite report*

- 1 . species-arnica-montana.xml (cf. CON: |no value reported|; |no operator selected|)
- 2 . species-callimorpha-quadrupunctaria.xml (cf. CON: |no value reported|; |no operator selected|)
- 3 . species-cobitis-taenia.xml (cf. CON: |no value reported|; |no operator selected|)
- 4 . species-coronella-austriaca.xml (cf. ATL: |no value reported|; |no operator selected|)
- 5 . species-cricetus-cricetus.xml (cf. CON: |no value reported|; |no operator selected|)
- 6 . species-dicranum-viride.xml (cf. CON: |no value reported|; |no operator selected|)
- 7 . species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|; |no operator selected|)
- 8 . species-epitesicus-serotinus.xml (cf. CON: |no value reported|; |no operator selected|)
- 9 . species-erigaster-catax.xml (cf. CON: |no value reported|; |no operator selected|)
- 10 . species-hirudo-medicinalis.xml (cf. CON: |no value reported|; |no operator selected|)
- 11 . species-lampetra-fluviatilis.xml (cf. MATL: 0; More than)
- 12 . species-leucobryum-glaucum.xml (cf. CON: |no value reported|; |no operator selected|)
- 13 . species-liparis-loeselii.xml (cf. CON: |no value reported|; |no operator selected|)
- 14 . species-lucanus-cervus.xml (cf. CON: |no value reported|; |no operator selected|)
- 15 . species-lurionium-natans.xml (cf. CON: |no value reported|; |no operator selected|)
- 16 . species-myotis-bechsteini.xml (cf. CON: |no value reported|; |no operator selected|)
- 17 . species-myotis-dasycneme.xml (cf. ATL: |no value reported|; |no operator selected|)
- 18 . species-nyctalus-leisleri.xml (cf. CON: |no value reported|; |no operator selected|)
- 19 . species-nyctalus-noctula.xml (cf. CON: |no value reported|; |no operator selected|)
- 20 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|; |no operator selected|)
- 21 . species-proserpinus-proserpina.xml (cf. CON: |no value reported|; |no operator selected|)
- 22 . species-rana-lessonae.xml (cf. ATL: |no value reported|; |no operator selected|)
- 23 . species-rana-lessonae.xml (cf. CON: |no value reported|; |no operator selected|)
- 24 . species-rana-ridibunda.xml (cf. ATL: 0; Much more than)
- 25 . species-rhinolophus-hipposideros.xml (cf. ATL: 0; Much more than)



- 26 .species-trichomanes-speciosum.xml (cf. CON: |no value reported|; |no operator selected|)
- 27 .species-unio-crassus.xml (cf. ATL: 0; Much more than)
- 28 .species-vertigo-moulinsiana.xml (cf. CON: |no value reported|; |no operator selected|)

### 2.7.3 Suitable habitat for the species

*Issue 12900 Mandatory information missing, equal to 0, negative or not numeric. Any such values were not taken into account for the composite report*

- 1 .species-alosa-fallax.xml (cf. ATL: |no value reported|)
- 2 .species-alosa-fallax.xml (cf. MATL: |no value reported|)
- 3 .species-alytes-obstetricans.xml (cf. ATL: |no value reported|)
- 4 .species-alytes-obstetricans.xml (cf. CON: |no value reported|)
- 5 .species-anisus-vorticulus.xml (cf. ATL: |no value reported|)
- 6 .species-apium-repens.xml (cf. ATL: |no value reported|)
- 7 .species-arnica-montana.xml (cf. CON: |no value reported|)
- 8 .species-astacus-astacus.xml (cf. CON: |no value reported|)
- 9 .species-barbastella-barbastellus.xml (cf. ATL: |no value reported|)
- 10 .species-barbastella-barbastellus.xml (cf. CON: |no value reported|)
- 11 .species-barbus-barbus.xml (cf. ATL: |no value reported|)
- 12 .species-barbus-barbus.xml (cf. CON: |no value reported|)
- 13 .species-bromus-grossus.xml (cf. CON: |no value reported|)
- 14 .species-bufo-calamita.xml (cf. ATL: |no value reported|)
- 15 .species-bufo-calamita.xml (cf. CON: |no value reported|)
- 16 .species-callimorpha-quadripunctaria.xml (cf. ATL: |no value reported|)
- 17 .species-callimorpha-quadripunctaria.xml (cf. CON: |no value reported|)
- 18 .species-castor-fiber.xml (cf. ATL: |no value reported|)
- 19 .species-cobitis-taenia.xml (cf. ATL: |no value reported|)
- 20 .species-cobitis-taenia.xml (cf. CON: |no value reported|)
- 21 .species-coenagrion-mercuriale.xml (cf. CON: |no value reported|)
- 22 .species-coronella-austriaca.xml (cf. ATL: |no value reported|)
- 23 .species-coronella-austriaca.xml (cf. CON: |no value reported|)
- 24 .species-cottus-gobio.xml (cf. ATL: |no value reported|)
- 25 .species-cottus-gobio.xml (cf. CON: |no value reported|)
- 26 .species-cricetus-cricetus.xml (cf. ATL: |no value reported|)
- 27 .species-cricetus-cricetus.xml (cf. CON: |no value reported|)
- 28 .species-dicranum-viride.xml (cf. CON: |no value reported|)
- 29 .species-drepanocladus-vernicosus.xml (cf. CON: |no value reported|)
- 30 .species-eptesicus-serotinus.xml (cf. ATL: |no value reported|)
- 31 .species-eptesicus-serotinus.xml (cf. CON: |no value reported|)
- 32 .species-eriogaster-catax.xml (cf. CON: |no value reported|)

- 33 . species-felis-silvestris.xml (cf. CON: |no value reported|)
- 34 . species-halichoerus-grypus.xml (cf. MATL: |no value reported|)
- 35 . species-helix-pomatia.xml (cf. ATL: |no value reported|)
- 36 . species-helix-pomatia.xml (cf. CON: |no value reported|)
- 37 . species-hirudo-medicinalis.xml (cf. ATL: |no value reported|)
- 38 . species-hirudo-medicinalis.xml (cf. CON: |no value reported|)
- 39 . species-hyla-arborea.xml (cf. ATL: |no value reported|)
- 40 . species-lacerta-agilis.xml (cf. CON: |no value reported|)
- 41 . species-lampetra-fluviatilis.xml (cf. ATL: |no value reported|)
- 42 . species-lampetra-fluviatilis.xml (cf. MATL: |no value reported|)
- 43 . species-lampetra-planeri.xml (cf. ATL: |no value reported|)
- 44 . species-lampetra-planeri.xml (cf. CON: |no value reported|)
- 45 . species-leucobryum-glaucum.xml (cf. CON: |no value reported|)
- 46 . species-leucorrhinia-pectoralis.xml (cf. ATL: |no value reported|)
- 47 . species-liparis-loeselii.xml (cf. CON: |no value reported|)
- 48 . species-lucanus-cervus.xml (cf. ATL: |no value reported|)
- 49 . species-lucanus-cervus.xml (cf. CON: |no value reported|)
- 50 . species-lurionium-natans.xml (cf. CON: |no value reported|)
- 51 . species-lutra-lutra.xml (cf. CON: |no value reported|)
- 52 . species-maculinea-arion.xml (cf. CON: |no value reported|)
- 53 . species-martes-martes.xml (cf. CON: |no value reported|)
- 54 . species-misgurnus-fossilis.xml (cf. ATL: |no value reported|)
- 55 . species-muscardinus-avellanarius.xml (cf. ATL: |no value reported|)
- 56 . species-muscardinus-avellanarius.xml (cf. CON: |no value reported|)
- 57 . species-mustela-putorius.xml (cf. CON: |no value reported|)
- 58 . species-myotis-bechsteini.xml (cf. ATL: |no value reported|)
- 59 . species-myotis-bechsteini.xml (cf. CON: |no value reported|)
- 60 . species-myotis-brandtii.xml (cf. ATL: |no value reported|)
- 61 . species-myotis-brandtii.xml (cf. CON: |no value reported|)
- 62 . species-myotis-dasychneme.xml (cf. ATL: |no value reported|)
- 63 . species-myotis-dasychneme.xml (cf. CON: |no value reported|)
- 64 . species-myotis-daubentonii.xml (cf. ATL: |no value reported|)
- 65 . species-myotis-daubentonii.xml (cf. CON: |no value reported|)
- 66 . species-myotis-emarginatus.xml (cf. ATL: |no value reported|)
- 67 . species-myotis-emarginatus.xml (cf. CON: |no value reported|)
- 68 . species-myotis-myotis.xml (cf. ATL: |no value reported|)
- 69 . species-myotis-myotis.xml (cf. CON: |no value reported|)

- 70 . species-myotis-mystacinus.xml (cf. ATL: |no value reported|)
- 71 . species-myotis-mystacinus.xml (cf. CON: |no value reported|)
- 72 . species-myotis-nattereri.xml (cf. ATL: |no value reported|)
- 73 . species-myotis-nattereri.xml (cf. CON: |no value reported|)
- 74 . species-nyctalus-leisleri.xml (cf. ATL: |no value reported|)
- 75 . species-nyctalus-leisleri.xml (cf. CON: |no value reported|)
- 76 . species-nyctalus-noctula.xml (cf. ATL: |no value reported|)
- 77 . species-nyctalus-noctula.xml (cf. CON: |no value reported|)
- 78 . species-oxygastra-curtisii.xml (cf. CON: |no value reported|)
- 79 . species-pelobates-fuscus.xml (cf. ATL: |no value reported|)
- 80 . species-petromyzon-marinus.xml (cf. ATL: |no value reported|)
- 81 . species-phoca-vitulina.xml (cf. MATL: |no value reported|)
- 82 . species-phocoena-phocoena.xml (cf. MATL: |no value reported|)
- 83 . species-pipistrellus-nathusii.xml (cf. ATL: |no value reported|)
- 84 . species-pipistrellus-nathusii.xml (cf. CON: |no value reported|)
- 85 . species-pipistrellus-pipistrellus.xml (cf. ATL: |no value reported|)
- 86 . species-pipistrellus-pipistrellus.xml (cf. CON: |no value reported|)
- 87 . species-plecotus-auritus.xml (cf. ATL: |no value reported|)
- 88 . species-plecotus-auritus.xml (cf. CON: |no value reported|)
- 89 . species-plecotus-austriacus.xml (cf. ATL: |no value reported|)
- 90 . species-plecotus-austriacus.xml (cf. CON: |no value reported|)
- 91 . species-podarcis-muralis.xml (cf. CON: |no value reported|)
- 92 . species-proserpinus-proserpina.xml (cf. CON: |no value reported|)
- 93 . species-rana-arvalis.xml (cf. ATL: |no value reported|)
- 94 . species-rana-esculenta.xml (cf. ATL: |no value reported|)
- 95 . species-rana-esculenta.xml (cf. CON: |no value reported|)
- 96 . species-rana-lessonae.xml (cf. ATL: |no value reported|)
- 97 . species-rana-lessonae.xml (cf. CON: |no value reported|)
- 98 . species-rana-ridibunda.xml (cf. ATL: |no value reported|)
- 99 . species-rana-temporaria.xml (cf. ATL: |no value reported|)
- 100 . species-rana-temporaria.xml (cf. CON: |no value reported|)
- 101 . species-rhinolophus-ferrumequinum.xml (cf. ATL: |no value reported|)
- 102 . species-rhinolophus-ferrumequinum.xml (cf. CON: |no value reported|)
- 103 . species-rhinolophus-hipposideros.xml (cf. ATL: |no value reported|)
- 104 . species-rhinolophus-hipposideros.xml (cf. CON: |no value reported|)
- 105 . species-rhodeus-sericeus-amarus.xml (cf. ATL: |no value reported|)
- 106 . species-rhodeus-sericeus-amarus.xml (cf. CON: |no value reported|)

- 107 .species-salmo-salar.xml (cf. ATL: |no value reported|)
- 108 .species-stylurus-flavipes.xml (cf. ATL: |no value reported|)
- 109 .species-thymallus-thymallus.xml (cf. CON: |no value reported|)
- 110 .species-trichomanes-speciosum.xml (cf. CON: |no value reported|)
- 111 .species-triturus-cristatus.xml (cf. ATL: |no value reported|)
- 112 .species-triturus-cristatus.xml (cf. CON: |no value reported|)
- 113 .species-unio-crassus.xml (cf. CON: |no value reported|)
- 114 .species-unio-crassus.xml (cf. ATL: 0)
- 115 .species-vertigo-angustior.xml (cf. ATL: |no value reported|)
- 116 .species-vertigo-moulinsiana.xml (cf. CON: |no value reported|)
- 117 .species-vespertilio-murinus.xml (cf. ATL: |no value reported|)

## HABITATS REPORTING - QA/QC indicates incoherence between spatial and non-spatial data or with other data officially submitted

### 0. General issues

*Issue 13470 Annex I habitat type reported but not listed in reference list at MS and Biogeographical level*

- 1 .habitattype-1110.xml\* (cf. ATL: |habitat not expected in biogeographical region|) (ATL changed into MATL)

### 1.1 Map of Habitat range

*Issue 13720 The range provided does not include the following Natura 2000 sites in which the habitat type is mentioned*

- 1 .map-range-1140.gml (cf. MAP: BE2300006)
- 2 .map-range-2310.gml (cf. MAP: BE2300005, BE2300007, BE31001B0, BE32002B0, BE32007B0, BE32012C0, BE32019B0, BE33026B0, BE34058C0)
- 3 .map-range-2330.gml (cf. MAP: BE31005B0)
- 4 .map-range-3110.gml (cf. MAP: BE2200034, BE2200032, BE2200029, BE2200028, BE2100026, BE2100017, BE2100016, BE2100015, BE2400014, BE32007B0, BE32029B0, BE32039B0)
- 5 .map-range-3130.gml (cf. MAP: BE31002B0, BE31003C0, BE31007B0, BE31010B0, BE32002B0, BE32003B0, BE32005B0, BE32010B0, BE32012C0, BE32021B0, BE32024B0, BE32029B0, BE32031C0, BE32040B0, BE33038B0, BE33057B0, BE33061C0, BE33062C0, BE34035B0)
- 6 .map-range-3140.gml (cf. MAP: BE2200031, BE2300007, BE2500001, BE33002B0, BE33003B0, BE33015B0, BE34061B0, BE35022B0)
- 7 .map-range-3150.gml (cf. MAP: BE31006B0, BE31011B0, BE32046C0, BE33007B0, BE33028B0, BE34016B0, BE34024B0, BE34031B0, BE34033B0, BE34034B0, BE34038B0, BE34063B0, BE34069B0)
- 8 .map-range-3270.gml (cf. MAP: BE32039B0, BE33064C0, BE34047B0, BE34050B0, BE34056B0, BE35007C0)
- 9 .map-range-4010.gml (cf. MAP: BE33019B0, BE34026B0, BE34033B0, BE34036B0, BE34058C0)
- 10 .map-range-4030.gml (cf. MAP: BE31006B0, BE31007B0, BE31010B0, BE32036B0, BE32037B0, BE32040B0, BE33010C0, BE33012B0, BE33014B0, BE33016B0, BE33026B0, BE34047B0, BE35040B0, BE35041B0)
- 11 .map-range-5130.gml (cf. MAP: BE34030C0)
- 12 .map-range-6110.gml (cf. MAP: BE33003B0)

- 13 .map-range-6120.gml (cf. MAP: BE34046B0, BE34054B0)
- 14 .map-range-6130.gml (cf. MAP: BE35006B0)
- 15 .map-range-6210.gml (cf. MAP: BE2200041, BE2200039, BE2300007, BE31007B0, BE31011B0, BE32014B0, BE32019B0, BE32023B0, BE32025B0, BE32030B0, BE32033B0, BE32035B0, BE32036B0, BE32038B0, BE32046C0, BE33007B0, BE33011C0, BE33012B0, BE33014B0, BE33015B0, BE33016B0, BE33017B0, BE33018B0, BE33026B0, BE33027C0, BE34001C0, BE34002B0, BE34003B0, BE34004B0, BE34005B0, BE34006B0, BE34008B0, BE34009B0, BE34011B0, BE34012B0, BE34021B0, BE34028B0, BE34036B0, BE34041C0, BE34043C0, BE34045C0, BE34050B0, BE34051B0, BE34066B0, BE35004B0, BE35005B0, BE35007C0, BE35010B0, BE35011B0, BE35012B0, BE35013C0, BE35015B0, BE35016B0, BE35017B0, BE35019B0, BE35020B0, BE35021B0, BE35022B0, BE35023B0, BE35025B0, BE35026B0, BE35027B0, BE35028B0, BE35029B0, BE35030B0, BE35034B0, BE35035B0, BE35037B0, BE35038B0, BE35042B0)
- 16 .map-range-6230.gml (cf. MAP: BE32026B0, BE33027C0, BE33055C0, BE34038B0, BE34040B0, BE34068C0)
- 17 .map-range-6410.gml (cf. MAP: BE31002B0, BE32008B0, BE32039B0, BE32040B0, BE33052B0, BE33053B0, BE33055C0, BE34031B0, BE34033B0, BE34038B0, BE34068C0, BE35014C0, BE35033B0)
- 18 .map-range-6520.gml (cf. MAP: BE32040B0, BE33027C0, BE33028B0, BE33029C0, BE34042B0, BE34043C0, BE34044B0, BE35022B0, BE35032B0, BE35044C0)
- 19 .map-range-7110.gml (cf. MAP: BE2200030, BE2200029, BE2200028, BE2100026, BE2100024, BE2100020, BE2100016, BE32040B0, BE33053B0)
- 20 .map-range-7120.gml (cf. MAP: BE2200035, BE2100024, BE2100020)
- 21 .map-range-7140.gml (cf. MAP: BE33027C0, BE33032B0)
- 22 .map-range-7150.gml (cf. MAP: BE2400014)
- 23 .map-range-7210.gml (cf. MAP: BE2100040)
- 24 .map-range-7220.gml (cf. MAP: BE33017B0, BE34046B0, BE34059B0, BE35036B0)
- 25 .map-range-8160.gml (cf. MAP: BE33017B0, BE33026B0, BE35004B0, BE35005B0, BE35009B0, BE35011B0, BE35012B0, BE35016B0, BE35019B0)
- 26 .map-range-8210.gml (cf. MAP: BE32026B0, BE33006B0, BE33007B0, BE33009B0, BE33010C0, BE33011C0, BE33012B0, BE33016B0, BE34001C0, BE34003B0, BE34005B0, BE34028B0, BE34042B0, BE34051B0, BE34054B0, BE34059B0, BE34063B0, BE34066B0, BE35003B0, BE35004B0, BE35005B0, BE35006B0, BE35011B0, BE35024B0, BE35027B0, BE35030B0, BE35034B0, BE35036B0, BE35045B0)
- 27 .map-range-8220.gml (cf. MAP: BE33011C0, BE33014B0, BE33017B0, BE33026B0, BE33027C0, BE34012B0, BE34024B0, BE34026B0, BE34028B0, BE34036B0, BE34044B0, BE35004B0, BE35009B0, BE35010B0, BE35012B0, BE35018B0, BE35019B0, BE35022B0, BE35037B0, BE35042B0, BE35044C0, BE35045B0, BE35046B0)
- 28 .map-range-8310.gml (cf. MAP: BE2200036, BE32022B0, BE32023B0, BE32024B0, BE32025B0, BE32030B0, BE32033B0, BE32036B0, BE32041B0, BE33007B0, BE33010C0, BE33012B0, BE33014B0, BE33015B0, BE33016B0, BE33017B0, BE33019B0, BE33027C0, BE33042C0, BE33066B0, BE34002B0, BE34003B0, BE34007B0, BE34028B0, BE34066B0, BE35012B0, BE35015B0, BE35020B0, BE35021B0)
- 29 .map-range-9110.gml (cf. MAP: BE2300007, BE2400008)
- 30 .map-range-9120.gml (cf. MAP: BE33007B0, BE33020B0, BE33021B0)
- 31 .map-range-9150.gml (cf. MAP: BE32029B0, BE32030B0, BE32031C0, BE32033B0, BE32034C0, BE34001C0, BE35002B0, BE35006B0)
- 32 .map-range-9160.gml (cf. MAP: BE32001B0, BE32003B0, BE32006C0, BE32012C0, BE32019B0)
- 33 .map-range-9180.gml (cf. MAP: BE31007B0, BE32019B0, BE32021B0, BE32023B0, BE32024B0, BE32025B0,

BE32026B0, BE32027B0, BE32031C0, BE32034C0, BE32036B0, BE33019B0, BE33022B0, BE33029C0, BE33030C0, BE33051C0, BE34009B0, BE34011B0, BE34012B0, BE34013B0, BE34015B0, BE34020B0, BE34021B0, BE34029C0, BE34041C0, BE34051B0, BE35002B0, BE35003B0, BE35013C0, BE35026B0, BE35027B0, BE35036B0, BE35043C0)

34 .map-range-9190.gml (cf. MAP: BE31007B0, BE32026B0)

35 .map-range-91D0.gml (cf. MAP: BE2200037, BE2200043, BE2200035, BE2200032, BE2200031, BE2200030, BE2200028, BE2100040, BE2100024, BE2200042, BE2400011, BE2400012, BE2400014, BE32017B0, BE33007B0, BE33019B0, BE34025B0, BE34031B0, BE34034B0, BE34049C0)

## 1.2 Map of Habitat distribution

*Issue 13750 The distribution provided does not include the following Natura 2000 sites in which the habitat type is mentioned*

1 .map-distribution-1140.gml (cf. MAP: BE2300006)

2 .map-distribution-2310.gml (cf. MAP: BE2300005, BE2300007, BE31001B0, BE32002B0, BE32007B0, BE32012C0, BE32019B0, BE33026B0, BE34058C0)

3 .map-distribution-2330.gml (cf. MAP: BE31005B0)

4 .map-distribution-3110.gml (cf. MAP: BE2200034, BE2200032, BE2200029, BE2200028, BE2100026, BE2100017, BE2100016, BE2100015, BE2400014, BE32007B0, BE32029B0, BE32039B0)

5 .map-distribution-3130.gml (cf. MAP: BE2200034, BE31002B0, BE31003C0, BE31007B0, BE31010B0, BE32002B0, BE32003B0, BE32005B0, BE32010B0, BE32012C0, BE32021B0, BE32024B0, BE32029B0, BE32031C0, BE32034C0, BE32040B0, BE33038B0, BE33057B0, BE33061C0, BE33062C0, BE34035B0)

6 .map-distribution-3140.gml (cf. MAP: BE2200031, BE2300007, BE2500001, BE33002B0, BE33003B0, BE33015B0, BE34061B0, BE35022B0)

7 .map-distribution-3150.gml (cf. MAP: BE31001B0, BE31006B0, BE31011B0, BE32046C0, BE33007B0, BE33028B0, BE34016B0, BE34024B0, BE34031B0, BE34033B0, BE34034B0, BE34038B0, BE34063B0, BE34069B0, BE35022B0, BE35049B0)

8 .map-distribution-3160.gml (cf. MAP: BE34038B0)

9 .map-distribution-3270.gml (cf. MAP: BE32039B0, BE33064C0, BE34043C0, BE34047B0, BE34050B0, BE34056B0, BE35007C0)

10 .map-distribution-4010.gml (cf. MAP: BE33019B0, BE34026B0, BE34033B0, BE34036B0, BE34058C0)

11 .map-distribution-5130.gml (cf. MAP: BE34030C0)

12 .map-distribution-6110.gml (cf. MAP: BE33003B0)

13 .map-distribution-6120.gml (cf. MAP: BE34046B0, BE34054B0)

14 .map-distribution-6130.gml (cf. MAP: BE35006B0)

15 .map-distribution-6210.gml (cf. MAP: BE2200039, BE2200041, BE2300007, BE31007B0, BE31011B0, BE32014B0, BE32019B0, BE32023B0, BE32025B0, BE32030B0, BE32033B0, BE32035B0, BE32036B0, BE32038B0, BE32046C0, BE33007B0, BE33011C0, BE33012B0, BE33014B0, BE33015B0, BE33016B0, BE33017B0, BE33018B0, BE33026B0, BE33027C0, BE34001C0, BE34002B0, BE34003B0, BE34004B0, BE34005B0, BE34006B0, BE34008B0, BE34009B0, BE34011B0, BE34012B0, BE34021B0, BE34028B0, BE34036B0, BE34041C0, BE34043C0, BE34045C0, BE34050B0, BE34051B0, BE34066B0, BE35004B0, BE35005B0, BE35007C0, BE35010B0, BE35011B0, BE35012B0, BE35013C0, BE35015B0, BE35016B0, BE35017B0, BE35019B0, BE35020B0, BE35021B0, BE35022B0, BE35023B0, BE35025B0, BE35026B0, BE35027B0, BE35028B0, BE35029B0, BE35030B0, BE35034B0, BE35035B0, BE35037B0, BE35038B0, BE35042B0)

- 16 .map-distribution-6230.gml (cf. MAP: BE32026B0, BE33027C0, BE33029C0, BE33055C0, BE34038B0, BE34040B0, BE34068C0)
- 17 .map-distribution-6410.gml (cf. MAP: BE31002B0, BE32008B0, BE32039B0, BE32040B0, BE33052B0, BE33053B0, BE33055C0, BE34031B0, BE34033B0, BE34038B0, BE34068C0, BE35014C0, BE35033B0)
- 18 .map-distribution-6430.gml (cf. MAP: BE31007B0, BE32006C0, BE32020B0, BE32035B0, BE34033B0)
- 19 .map-distribution-6520.gml (cf. MAP: BE32040B0, BE33027C0, BE33028B0, BE33029C0, BE34042B0, BE34043C0, BE34044B0, BE35022B0, BE35032B0, BE35044C0)
- 20 .map-distribution-7110.gml (cf. MAP: BE2200030, BE2200029, BE2200028, BE2100026, BE2100024, BE2100020, BE2100016, BE32040B0, BE33053B0)
- 21 .map-distribution-7120.gml (cf. MAP: BE2200035, BE2100024, BE2100020, BE33054C0, BE34038B0)
- 22 .map-distribution-7140.gml (cf. MAP: BE33027C0, BE33032B0)
- 23 .map-distribution-7150.gml (cf. MAP: BE2400014)
- 24 .map-distribution-7210.gml (cf. MAP: BE2100040)
- 25 .map-distribution-7220.gml (cf. MAP: BE33017B0, BE34046B0, BE34059B0, BE35036B0)
- 26 .map-distribution-8160.gml (cf. MAP: BE33017B0, BE33026B0, BE35004B0, BE35005B0, BE35009B0, BE35011B0, BE35012B0, BE35016B0, BE35019B0)
- 27 .map-distribution-8210.gml (cf. MAP: BE32026B0, BE33006B0, BE33007B0, BE33009B0, BE33010C0, BE33011C0, BE33012B0, BE33016B0, BE34001C0, BE34003B0, BE34005B0, BE34028B0, BE34042B0, BE34051B0, BE34054B0, BE34059B0, BE34063B0, BE34066B0, BE35003B0, BE35004B0, BE35005B0, BE35006B0, BE35011B0, BE35024B0, BE35027B0, BE35030B0, BE35034B0, BE35036B0, BE35045B0)
- 28 .map-distribution-8220.gml (cf. MAP: BE33011C0, BE33014B0, BE33017B0, BE33026B0, BE33027C0, BE34012B0, BE34024B0, BE34026B0, BE34028B0, BE34036B0, BE34044B0, BE35004B0, BE35009B0, BE35010B0, BE35012B0, BE35018B0, BE35019B0, BE35022B0, BE35037B0, BE35042B0, BE35044C0, BE35045B0, BE35046B0)
- 29 .map-distribution-8310.gml (cf. MAP: BE2200036, BE32022B0, BE32023B0, BE32024B0, BE32025B0, BE32030B0, BE32033B0, BE32036B0, BE32041B0, BE33007B0, BE33010C0, BE33012B0, BE33014B0, BE33015B0, BE33016B0, BE33017B0, BE33019B0, BE33027C0, BE33042C0, BE33066B0, BE34002B0, BE34003B0, BE34007B0, BE34028B0, BE34066B0, BE35012B0, BE35015B0, BE35020B0, BE35021B0)
- 30 .map-distribution-9110.gml (cf. MAP: BE2300007, BE2400008)
- 31 .map-distribution-9120.gml (cf. MAP: BE33007B0, BE33020B0, BE33021B0)
- 32 .map-distribution-9150.gml (cf. MAP: BE32029B0, BE32030B0, BE32031C0, BE32033B0, BE32034C0, BE34001C0, BE35002B0, BE35006B0)
- 33 .map-distribution-9160.gml (cf. MAP: BE32001B0, BE32003B0, BE32006C0, BE32012C0, BE32019B0)
- 34 .map-distribution-9180.gml (cf. MAP: BE31007B0, BE32019B0, BE32021B0, BE32023B0, BE32024B0, BE32025B0, BE32026B0, BE32027B0, BE32031C0, BE32034C0, BE32036B0, BE33009B0, BE33019B0, BE33022B0, BE33029C0, BE33030C0, BE33051C0, BE34009B0, BE34011B0, BE34012B0, BE34013B0, BE34015B0, BE34020B0, BE34021B0, BE34029C0, BE34041C0, BE34051B0, BE35002B0, BE35003B0, BE35013C0, BE35026B0, BE35027B0, BE35036B0, BE35043C0)
- 35 .map-distribution-9190.gml (cf. MAP: BE31007B0, BE32026B0)
- 36 .map-distribution-91D0.gml (cf. MAP: BE2200037, BE2200035, BE2200032, BE2200031, BE2200030, BE2200028, BE2100040, BE2100024, BE2200042, BE2200043, BE2400011, BE2400012, BE2400014, BE32017B0, BE33007B0, BE33019B0, BE34025B0, BE34031B0, BE34034B0, BE34049C0)

### 2.3.1 Surface range of the habitat

*Issue 14350* **Range in the XML file shows a difference of more than 5 % from the range calculated from the GML file in the corresponding biogeographical region (not buffered for calculation of minimum values and buffered by 15 km for maximum values). This discrepancy can be due to spatial data being generalized during creation of the GML**

- 1 .habitatype-6210.xml (cf. CON: reported value: 1410; computed surface area from maps between: 215.8 - 260.9)
- 2 .habitatype-7110.xml (cf. CON: reported value: 1550; computed surface area from maps between: 666.2 - 666.4)
- 3 .habitatype-7220.xml (cf. CON: reported value: 2704; computed surface area from maps between: 1533.3 - 1724.1)
- 4 .habitatype-8310.xml (cf. ATL: reported value: 223; computed surface area from maps between: 0 - 32)
- 5 .habitatype-8310.xml (cf. CON: reported value: 4917; computed surface area from maps between: 274 - 288)
- 6 .habitatype-9110.xml (cf. ATL: reported value: 0; computed surface area from maps between: 0.5 - 1953)
- 7 .habitatype-9180.xml (cf. ATL: reported value: 0; computed surface area from maps between: 0.2 - 296.2)
- 8 .habitatype-91E0.xml (cf. CON: reported value: 9300; computed surface area from maps between: 17595.5 - 11422.5)

### 2.4.7 Habitat area trend period

*Issue 16550* **The end of area trend period differs by two years or more from date (or end of period) of area determination. The area and its trend are most probably not connected, as being estimated from different datasets. This makes the sub-conclusion doubtful**

- 1 .habitatype-7110.xml (cf. CON: period: 1996-2004; date: 1994-2006)
- 2 .habitatype-9110.xml (cf. CON: period: 1996-2004; date: 1994-2006)

## SPECIES REPORTING - QA/QC indicates incoherence between spatial and non-spatial data or with other data officially submitted

### 0. General issues

*Issue 6870* **Annex II species reported but unknown to reference list at MS or biogeographical level**

- 1 .species-alosa-fallax.xml (cf. ATL: |species not expected in biogeographical region|) (mentioned in 1 marine site: BEMNZ0005, population: B)
- 2 .species-alosa-fallax.xml (cf. MATL: |species not expected in biogeographical region|) (mentioned in 1 marine site: BEMNZ0005, population: B, mentioned on reference list of marine working group as absent)
- 3 .species-anisus-vorticulus.xml (cf. ATL: |species not expected in biogeographical region|) (not mentioned in any site in BE, Species added to the annex II in 2004)
- 4 .species-callimorpha-quadrupunctaria.xml (cf. ATL: |species not expected in biogeographical region|) (mentioned in 2 sites ATL&CON)
- 5 .species-castor-fiber.xml (cf. ATL: |species not expected in biogeographical region|) (not mentioned in any site in BE)
- 6 .species-cobitis-taenia.xml (cf. CON: |species not expected in biogeographical region|) (not mentioned in any site in CON)
- 7 .species-petromyzon-marinus.xml (cf. ATL: |species not expected in biogeographical region|) (mentioned in 1 marine site: BEMNZ0005, population: C)

### 1.1 Map of Species range

*Issue 7220* **The range provided does not include the following Natura 2000 sites in which the species is**



*mentioned*

- 1 . map-range-spec-barbastella-barbastellus.gml (cf. MAP: BE1000003)
- 2 . map-range-spec-erogaster-catax.gml (cf. MAP: BE35023B0)
- 3 . map-range-spec-euphydryas-aurinia.gml (cf. MAP: BE32040B0, BE33052B0, BE33064C0, BE34036B0, BE34056B0, BE34064B0, BE34066B0)
- 4 . map-range-spec-lampetra-fluviatilis.gml (cf. MAP: BE33004B0)
- 5 . map-range-spec-lurionium-natans.gml (cf. MAP: BE2300005, BE34047B0)
- 6 . map-range-spec-lutra-lutra.gml (cf. MAP: BE31011B0)
- 7 . map-range-spec-lycaena-helle.gml (cf. MAP: BE35045B0)
- 8 . map-range-spec-margaritifera-margaritifera.gml (cf. MAP: BE33038B0, BE34026B0, BE35039B0)
- 9 . map-range-spec-myotis-bechsteinii.gml (cf. MAP: BE32019B0, BE32021B0, BE32026B0)
- 10 . map-range-spec-myotis-dasychneme.gml (cf. MAP: BE32036B0, BE34044B0)
- 11 . map-range-spec-myotis-myotis.gml (cf. MAP: BE31009B0, BE32021B0, BE32026B0)
- 12 . map-range-spec-petromyzon-marinus.gml (cf. MAP: BEMNZ0005)
- 13 . map-range-spec-rhinolophus-ferrumequinum.gml (cf. MAP: BE33065B0)
- 14 . map-range-spec-rhinolophus-hipposideros.gml (cf. MAP: BE31009B0, BE32021B0, BE32022B0, BE32026B0, BE32030B0, BE32036B0, BE34042B0, BE34052C0, BE34059B0)
- 15 . map-range-spec-rhodeus-sericeus-amarus.gml (cf. MAP: BE2500004, BE32017B0, BE32039B0)
- 16 . map-range-spec-triturus-cristatus.gml (cf. MAP: BE34051B0, BE35040B0)
- 17 . map-range-spec-unio-crassus.gml (cf. MAP: BE32025B0, BE33004B0)
- 18 . map-range-spec-vertigo-moulinsiana.gml (cf. MAP: BE31007B0, BE35038B0)

## 1.2 Map of Species distribution

*Issue 7250 The distribution provided does not include the following Natura 2000 sites in which the species is mentioned*

- 1 . map-distribution-spec-barbastella-barbastellus.gml (cf. MAP: BE1000003)
- 2 . map-distribution-spec-erogaster-catax.gml (cf. MAP: BE35023B0)
- 3 . map-distribution-spec-euphydryas-aurinia.gml (cf. MAP: BE32040B0, BE33052B0, BE33064C0, BE34036B0, BE34056B0, BE34064B0, BE34066B0, BE35025B0)
- 4 . map-distribution-spec-lampetra-fluviatilis.gml (cf. MAP: BE33004B0)
- 5 . map-distribution-spec-lampetra-planeri.gml (cf. MAP: BE2100017, BE33011C0, BE33056B0, BE33057B0, BE33058C0, BE33061C0, BE34060B0)
- 6 . map-distribution-spec-leucorrhinia-pectoralis.gml (cf. MAP: BE2200029)
- 7 . map-distribution-spec-lurionium-natans.gml (cf. MAP: BE2200034, BE2300005)
- 8 . map-distribution-spec-lutra-lutra.gml (cf. MAP: BE31011B0, BE33030C0, BE33051C0, BE34020B0, BE34046B0, BE35028B0)
- 9 . map-distribution-spec-lycaena-helle.gml (cf. MAP: BE33065B0, BE34035B0, BE34040B0, BE34044B0, BE35045B0)
- 10 . map-distribution-spec-margaritifera-margaritifera.gml (cf. MAP: BE33038B0, BE34026B0, BE34036B0, BE35039B0)

- 11 .map-distribution-spec-myotis-bechsteinii.gml (cf. MAP: BE32019B0, BE32021B0, BE32026B0)
- 12 .map-distribution-spec-myotis-dasycneme.gml (cf. MAP: BE1000003, BE32021B0, BE32026B0, BE32036B0, BE33015B0, BE33016B0, BE34007B0, BE34021B0, BE34044B0, BE35013C0, BE35020B0)
- 13 .map-distribution-spec-myotis-emarginatus.gml (cf. MAP: BE32026B0, BE33011C0, BE33012B0, BE33017B0, BE34007B0, BE34056B0)
- 14 .map-distribution-spec-myotis-myotis.gml (cf. MAP: BE2200039, BE31009B0, BE32021B0, BE32026B0, BE33010C0, BE33012B0, BE33015B0, BE34021B0, BE35015B0, BE35021B0)
- 15 .map-distribution-spec-petromyzon-marinus.gml (cf. MAP: BEMNZ0005)
- 16 .map-distribution-spec-rhinolophus-ferrumequinum.gml (cf. MAP: BE2200036, BE32026B0, BE32030B0, BE33012B0, BE33027C0, BE33065B0, BE35015B0)
- 17 .map-distribution-spec-rhinolophus-hipposideros.gml (cf. MAP: BE31009B0, BE32021B0, BE32022B0, BE32026B0, BE32030B0, BE32036B0, BE34042B0, BE34052C0, BE34059B0, BE35030B0)
- 18 .map-distribution-spec-rhodeus-sericeus-amarus.gml (cf. MAP: BE2500004, BE32017B0, BE32039B0)
- 19 .map-distribution-spec-triturus-cristatus.gml (cf. MAP: BE2100026, BE2400008, BE32004B0, BE32006C0, BE32029B0, BE32031C0, BE32035B0, BE34051B0, BE35040B0)
- 20 .map-distribution-spec-tursiops-truncatus.gml (cf. MAP: BEMNZ0001)
- 21 .map-distribution-spec-unio-crassus.gml (cf. MAP: BE32025B0, BE32026B0, BE33004B0)
- 22 .map-distribution-spec-vertigo-moulinsiana.gml (cf. MAP: BE35038B0)

### 2.3.1 Surface range of the species

*Issue 7750* **Range in the XML file shows a difference of more than 5 % from the range calculated from the GML file in the corresponding biogeographical region (not buffered for calculation of minimum values and buffered by 15 km for maximum values). This discrepancy can be due to spatial data being generalized during creation of the GML**

- 1 .species-eptesticus-serotinus.xml (cf. CON: reported value: 9229; computed surface area from maps between: 92383.4 - 11703.8)

## Spatial Data not compliant with QA/QC procedures

	<i>Errors</i>	<i>Missing</i>	<i>Incoherent</i>
1 map-distribution-1140.gml			1
2 map-distribution-2310.gml			1
3 map-distribution-2330.gml			1
4 map-distribution-3110.gml			1
5 map-distribution-3130.gml			1
6 map-distribution-3140.gml			1
7 map-distribution-3150.gml			1
8 map-distribution-3160.gml			1
9 map-distribution-3270.gml			1
10 map-distribution-4010.gml			1
11 map-distribution-5130.gml			1
12 map-distribution-6110.gml			1
13 map-distribution-6120.gml			1
14 map-distribution-6130.gml			1
15 map-distribution-6210.gml			1
16 map-distribution-6230.gml			1
17 map-distribution-6410.gml			1
18 map-distribution-6430.gml			1
19 map-distribution-6520.gml			1
20 map-distribution-7110.gml			1
21 map-distribution-7120.gml			1
22 map-distribution-7140.gml			1
23 map-distribution-7150.gml			1
24 map-distribution-7210.gml			1
25 map-distribution-7220.gml			1
26 map-distribution-8160.gml			1
27 map-distribution-8210.gml			1
28 map-distribution-8220.gml			1
29 map-distribution-8310.gml			1
30 map-distribution-9110.gml			1
31 map-distribution-9120.gml			1
32 map-distribution-9150.gml			1
33 map-distribution-9160.gml			1
34 map-distribution-9180.gml			1
35 map-distribution-9190.gml			1
36 map-distribution-91D0.gml			1
37 map-distribution-spec-barbastella-barbastellus.gml			1
38 map-distribution-spec-erogaster-catax.gml			1
39 map-distribution-spec-euphydryas-aurinia.gml			1
40 map-distribution-spec-hirudo-medicinalis.gml	1		
41 map-distribution-spec-lampetra-fluviatilis.gml			1
42 map-distribution-spec-lampetra-planeri.gml			1
43 map-distribution-spec-leucorrhinia-pectoralis.gml			1
44 map-distribution-spec-lurionium-natans.gml	1		1
45 map-distribution-spec-lutra-lutra.gml			1
46 map-distribution-spec-lycaena-helle.gml			1
47 map-distribution-spec-margaritifera-margaritifera.gml			1
48 map-distribution-spec-myotis-bechsteinii.gml			1
49 map-distribution-spec-myotis-dasycneme.gml			1

50	map-distribution-spec-myotis-emarginatus.gml		1
51	map-distribution-spec-myotis-myotis.gml		1
52	map-distribution-spec-myotis-mystacinus.gml	1	
53	map-distribution-spec-petromyzon-marinus.gml		1
54	map-distribution-spec-rana-ridibunda.gml		1
55	map-distribution-spec-rhinolophus-ferrumequinum.gml		1
56	map-distribution-spec-rhinolophus-hipposideros.gml		1
57	map-distribution-spec-rhodeus-sericeus-amarus.gml		1
58	map-distribution-spec-triturus-cristatus.gml		1
59	map-distribution-spec-tursiops-truncatus.gml		1
60	map-distribution-spec-unio-crassus.gml		1
61	map-distribution-spec-vertigo-mouliinsiana.gml		1
62	map-distribution-spec-vespertilio-murinus.gml	1	
63	map-range-1140.gml		1
64	map-range-2310.gml		1
65	map-range-2330.gml		1
66	map-range-3110.gml		1
67	map-range-3130.gml		1
68	map-range-3140.gml		1
69	map-range-3150.gml		1
70	map-range-3270.gml		1
71	map-range-4010.gml		1
72	map-range-4030.gml		1
73	map-range-5130.gml		1
74	map-range-6110.gml		1
75	map-range-6120.gml		1
76	map-range-6130.gml		1
77	map-range-6210.gml		1
78	map-range-6230.gml		1
79	map-range-6410.gml		1
80	map-range-6520.gml		1
81	map-range-7110.gml		1
82	map-range-7120.gml		1
83	map-range-7140.gml		1
84	map-range-7150.gml		1
85	map-range-7210.gml		1
86	map-range-7220.gml		1
87	map-range-8160.gml		1
88	map-range-8210.gml		1
89	map-range-8220.gml		1
90	map-range-8310.gml		1
91	map-range-9110.gml		1
92	map-range-9120.gml		1
93	map-range-9150.gml		1
94	map-range-9160.gml		1
95	map-range-9180.gml		1
96	map-range-9190.gml		1
97	map-range-91D0.gml		1
98	map-range-spec-barbastella-barbastellus.gml		1
99	map-range-spec-eriogaster-catax.gml		1
100	map-range-spec-euphydrias-aurinia.gml		1

101	map-range-spec-hirudo-medicinalis.gml	1		
102	map-range-spec-lampetra-fluviatilis.gml			1
103	map-range-spec-luronium-natans.gml			1
104	map-range-spec-lutra-lutra.gml			1
105	map-range-spec-lycaena-helle.gml			1
106	map-range-spec-margaritifera-margaritifera.gml			1
107	map-range-spec-myotis-bechsteinii.gml			1
108	map-range-spec-myotis-dasycneme.gml			1
109	map-range-spec-myotis-myotis.gml			1
110	map-range-spec-petromyzon-marinus.gml			1
111	map-range-spec-rana-ridibunda.gml	1		
112	map-range-spec-rhinolophus-ferrumequinum.gml			1
113	map-range-spec-rhinolophus-hipposideros.gml			1
114	map-range-spec-rhodeus-sericeus-amarus.gml			1
115	map-range-spec-triturus-cristatus.gml			1
116	map-range-spec-unio-crassus.gml			1
117	map-range-spec-vertigo-moulinsiana.gml			1
118	map-range-spec-vespertilio-murinus.gml	1		
		<i>Errors</i>	<i>Missing</i>	<i>Incoherent</i>
	<u><i>GML Total number of issues :</i></u>	<u>6</u>	<u>2</u>	<u>111</u>

## Non-spatial Data not compliant with QA/QC procedures

	<i>Errors</i>	<i>Missing</i>	<i>Incoherent</i>	<i>Not assessed</i>
1				
2		1		
3		1		
4		1		
5		1		
6	1	2		
7		1		
8		1		
9	2			
10		1		
11			1	
12	1			
13	2		2	
14	1	1		
15	1			
16	1	1	1	
17		2	2	
18	1		2	
19	1			
20			1	
21	1			
22			1	
23		5	2	
24	1	8		
25		2	1	1
26	1	2		
27		7		
28	1	3		
29	1	8		
30	2	5		
31		5		
32	2	8		
33	1	11	1	1
34		2	1	
35	1			
36	2	9	1	1
37		3		
38		9		
39	2	5		
40		11		
41		8		1
42		7		1
43		9	1	
44		8		1
45	2			
46	4	3		
47	1	1		
48		10		1
49		15		2

50	species-hyla-arborea.xml		2	
51	species-lacerta-agilis.xml		6	
52	species-lampetra-fluviatilis.xml	1	7	
53	species-lampetra-planeri.xml	3	5	
54	species-leucobryum-glaucum.xml	4	6	
55	species-leucorrhinia-pectoralis.xml		2	
56	species-liparis-loeselii.xml		7	
57	species-lucanus-cervus.xml	2	8	
58	species-luronium-natans.xml	1	7	
59	species-lutra-lutra.xml	2	4	
60	species-maculinea-arion.xml		6	
61	species-margaritifera-margaritifera.xml		1	
62	species-martes-martes.xml	1	5	
63	species-misgurnus-fossilis.xml		2	
64	species-muscardinus-avellanarius.xml	1	4	
65	species-mustela-putorius.xml	5	2	
66	species-myotis-bechsteini.xml	1	9	
67	species-myotis-brandtii.xml	1	8	
68	species-myotis-dasycneme.xml	1	10	
69	species-myotis-daubentonii.xml	1	8	
70	species-myotis-emarginatus.xml	1	8	
71	species-myotis-myotis.xml	1	8	
72	species-myotis-mystacinus.xml	1	8	
73	species-myotis-nattereri.xml	2	8	
74	species-nyctalus-leisleri.xml		10	1
75	species-nyctalus-noctula.xml		18	1
76	species-oxygastra-curtisii.xml	1	5	
77	species-pelobates-fuscus.xml		2	
78	species-petromyzon-marinus.xml	2	2	1
79	species-phoca-vitulina.xml		1	
80	species-phocoena-phocoena.xml	1	1	
81	species-pipistrellus-nathusii.xml	1	22	1
82	species-pipistrellus-pipistrellus.xml	1	12	
83	species-plecotus-auritus.xml	1	8	
84	species-plecotus-austriacus.xml	1	8	
85	species-podarcis-muralis.xml	1	6	
86	species-proserpinus-proserpina.xml		8	1
87	species-rana-arvalis.xml		2	
88	species-rana-esculenta.xml	1	8	
89	species-rana-lessonae.xml		10	2
90	species-rana-ridibunda.xml		6	1
91	species-rana-temporaria.xml	1	8	
92	species-rhinolophus-ferrumequinum.xml	1	8	
93	species-rhinolophus-hipposideros.xml		12	
94	species-rhodeus-sericeus-amarus.xml		5	
95	species-salmo-salar.xml		3	
96	species-sphagnum-spp..xml	4		
97	species-stylurus-flavipes.xml		1	
98	species-thymallus-thymallus.xml		2	
99	species-trichomanes-speciosum.xml		7	1
100	species-triturus-cristatus.xml		8	

101	species-tursiops-truncatus.xml	2			
102	species-unio-crassus.xml	1	9		1
103	species-vertigo-angustior.xml		2		
104	species-vertigo-moulinsiana.xml	1	8		1
105	species-vespertilio-murinus.xml	1	2		
		<i>Errors</i>	<i>Missing</i>	<i>Incoherent</i>	<i>Not assessed</i>
	<u><i>XML Total number of issues :</i></u>	<u><i>83</i></u>	<u><i>522</i></u>	<u><i>18</i></u>	<u><i>19</i></u>