



## Agriades glandon aquilo

---

<b>Annex</b>	II
<b>Priority</b>	No
<b>Species group</b>	Arthropods
<b>Regions</b>	Alpine

Species *Agriades glandon aquilo* a lives in inland sparsely vegetated habitats (short grass turf associated with slate or shale rocks, - consolidated areas of steep screes where vegetation can establish itself, etc). Larval food-plants are *Saxifraga aizoides*, *Saxifraga oppositifolia*, *Astragalus alpinus*. It is distributed in Scandinavia. In the Swedish alpine region the species is very local, but not uncommon.

Species occurs in Alpine bioregion only. Overall assessment of this species is Unfavourable-Bad, also the previous assessment was the same.


This species is not believed to face major threats at the European level in this part of its distribution. However, it can already be seen that some of the habitats on the lowest altitudes where the species occur are starting to change (the vegetation becomes higher and denser) in a warmer and wetter arctic climate.

The species is listed on the Habitats Directive Annex 2. Red List Status Europe: Least concern, EU: Least concern. In Sweden, it is unknown if all populations are in Natura 2000 areas. A surveillance program is in progress since 2008 in Finland and since 2010 in Sweden.

# Species: *Agriades glandon aquilo*

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the European biogeographical level



See the endnote for more information<sup>i</sup>

**Species: *Agriades glandon aquilo***  
Report under the Article 17 of the Habitats Directive

**Assessment of conservation status at the Member State level**



<b><i>Agriades glandon aquilo</i></b>	
Distribution and conservation status at the Member State level	
Favourable	EU Member States
Unfavourable – inadequate	Outside data coverage
Unfavourable – bad	Biogeographical region
Unknown	

The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

# Species: *Agriades glandon aquilo*

Report under the Article 17 of the Habitats Directive

MS Region	ALP	Conservation status of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
		Range	Population	Habitat	Future prospects					
FI	ALP	FV	FV	FV	FV	FV		19.0	FV	
SE	ALP	U2	U2	U1	U1	U2	=	81.0	U2	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

## Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

### Ten most frequently reported 'highly important' pressures

Code	Activity	Frequency
No 'highly important' pressures were reported.		

### Ten most frequently reported 'highly important' threats

Code	Activity	Frequency
No 'highly important' threats were reported.		

## Proportion of population covered by the Natura 2000 network

For species listed in the Annex II of the Directive Member States were asked to report the population size within the Natura 2000 network. The percentage of species population covered by the network was estimated by comparing the population size within the network and the total population size in the biogeographical/marine region.

### Percentage of coverage by Natura 2000 sites in biogeographical/marine region

ALP
FI 100
SE 90

See the endnotes for more information<sup>ii</sup>

# Species: *Agriades glandon aquilo*

Report under the Article 17 of the Habitats Directive

## Most frequently reported conservation measures

For species listed in the Annex II of the Directive Member States were asked to report up to 20 conservation measures being implemented for this species using an agreed list which can be found on the Article 17 Reference Portal. Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many species there were less than ten measures reported as highly important.

### Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
	No 'highly important' measures were reported.	

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/species/summary/?group=Arthropods&period=3&subject=Agriades+glandon+aquilo>

# Species: *Agriades glandon aquilo*

Report under the Article 17 of the Habitats Directive

**i Assessment of conservation status at the European biogeographical level:** Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as ‘unknown’. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.

**ii Percentage of coverage by Natura 2000 sites in biogeographical/marine region:** In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (\*). The value ‘x’ indicates that the Member State has not reported the species population and/or the coverage by Natura 2000. No information is available for Greece. The values are only provided for regions, in which the occurrence of the species has been reported by the Member States.