



## Stephanopachys linearis

---

<b>Annex</b>	II
<b>Priority</b>	No
<b>Species group</b>	Arthropods
<b>Regions</b>	Alpine, Boreal, Mediterranean

The *Stephanopachys linearis* is a beetle species which mainly inhabits parts of northern Europe. Restricted population is recorded in France. It is dependent on forest fires and burned conifers (fire-adapted species). For Finland its dispersion capacity is good and supplement for the population from Russia is probable.

In the Alpine region this species is reported only from France. It is assessed as unfavourable-inadequate and stable. In the previous reporting round it was unknown, however France reports this as non-genuine change with a reason 'more accurate and better knowledge'. From the region, France reports the forest and plantation management and use as a main pressure.


It is assessed as unfavourable-inadequate for the Boreal region. It was the same in the previous reporting round. In the Boreal region there are following main threats and pressures as a removal of dead and dying trees in Lithuania, suppression of natural fires in Lithuania and Finland and lack of fires in Finland.

In the Mediterranean region this species is reported only from France. It is assessed as unknown similarly as in the previous reporting round. France reports no pressure and threat.

# Species: *Stephanopachys linearis*

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the European biogeographical level



Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Population	Habitat	Future prospects					
ALP	FV	XX	U1	XX	U1	-	0.95	XX	Not genuine
BOR	FV	FV	U1	FV	U1	+	99	U1	
MED	XX	XX	XX	XX	XX	x	0.48	XX	

See the endnote for more information<sup>i</sup>

# Species: *Stephanopachys linearis*

Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the Member State level



### *Stephanopachys linearis*

Distribution and conservation status at the Member State level



The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

# Species: *Stephanopachys linearis*

Report under the Article 17 of the Habitats Directive

MS	Region	Conservation status of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
		Range	Population	Habitat	Future prospects					
FR	ALP	FV	XX	U1	XX	U1	=	100.0	XX	Better data
EE	BOR	XX	XX	XX	XX	XX				
FI	BOR	FV	FV	U1	U1	U1	=	13.8	U1+	Changed method
LV	BOR	U2	U2	U2	U2	U2	x	0.5	XX	
SE	BOR	FV	FV	U1	FV	U1	+	85.7	U1+	
FR	MED	XX	XX	XX	XX	XX		100.0	XX	Better data

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

## Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

### Ten most frequently reported 'highly important' pressures

Code	Activity	Frequency
B02	Forest and plantation management & use	43
J01	Fire and fire suppression	43
L09	Fire (natural)	14

### Ten most frequently reported 'highly important' threats

Code	Activity	Frequency
J01	Fire and fire suppression	50
B02	Forest and plantation management & use	17
B03	Forest exploitation	17
L09	Fire (natural)	17

# Species: *Stephanopachys linearis*

Report under the Article 17 of the Habitats Directive

## Proportion of population covered by the Natura 2000 network

For species listed in the Annex II of the Directive Member States were asked to report the population size within the Natura 2000 network. The percentage of species population covered by the network was estimated by comparing the population size within the network and the total population size in the biogeographical/marine region.

### Percentage of coverage by Natura 2000 sites in biogeographical/marine region

	ALP	BOR	MED
EE		61	
FI		32	
FR	x		x
LV		x	
SE		17	

See the endnotes for more information<sup>ii</sup>

## Most frequently reported conservation measures

For species listed in the Annex II of the Directive Member States were asked to report up to 20 conservation measures being implemented for this species using an agreed list which can be found on the Article 17 Reference Portal. Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many species there were less than ten measures reported as highly important.

### Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
3.1	Restoring/improving forest habitats	67
6.3	Legal protection of habitats and species	33

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/species/summary/?group=Arthropods&period=3&subject=Stephanopachys+linearis>

# Species: *Stephanopachys linearis*

Report under the Article 17 of the Habitats Directive

**i Assessment of conservation status at the European biogeographical level:** Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.

**ii Percentage of coverage by Natura 2000 sites in biogeographical/marine region:** In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (\*). The value 'x' indicates that the Member State has not reported the species population and/or the coverage by Natura 2000. No information is available for Greece. The values are only provided for regions, in which the occurrence of the species has been reported by the Member States.