



Lacerta schreiberi

Annex	II, IV
Priority	No
Species group	Reptiles
Regions	Atlantic, Mediterranean

Lacerta schreiberi

Schreiber's Green Lizard occurs on the Iberian Peninsula. The centre of the distribution is in the north-western part of the peninsula in the area with prevailing influence of the Atlantic climate and higher rates of precipitations. In Portugal it occurs in various types of vegetation formations mainly in the surrounding of the water courses. In Spain it prefers dry woodlands, shrubs and heaths.


The species is reported by both Spain and Portugal for the Atlantic and Mediterranean biogeographical regions. While the overall conservation status for the Atlantic region is assessed as 'favourable', that for the Mediterranean region is assessed as 'unfavourable-inadequate'. This marks a change for both regions from 'unknown' in the previous reporting period, which are both the result of Spain changing the methodology used for assessment. Therefore, while both of the reports for Portugal remained unchanged at 'unfavourable-inadequate', the reports for Spain change from 'unknown' to 'favourable' and 'unfavourable-inadequate', respectively. Portugal reported reduction of habitat connectivity, modification of hydrographic functioning and management of vegetation for drainage purposes as high-level pressures and threats, whereas Spain reported removal of forest undergrowth and modifying structures of inland water courses as medium-ranked pressures and threats.

The IUCN Red List classifies the species as near threatened, due to significant population decline and widespread habitat loss through much of its range (<http://www.iucnredlist.org/details/11113/1> consulted on 25 February 2015).

Species: *Lacerta schreiberi*

Report under the Article 17 of the Habitats Directive

Assessment of conservation status at the European biogeographical level




Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Population	Habitat	Future prospects					
ATL	FV	FV	FV	XX	FV	=	41	XX	Not genuine
MED	FV	XX	U1	XX	U1	x	59	XX	Not genuine

See the endnote for more informationⁱ

Species: *Lacerta schreiberi*

Report under the Article 17 of the Habitats Directive

Assessment of conservation status at the Member State level



Lacerta schreiberi

Distribution and conservation status at the Member State level

- | | |
|---------------------------|------------------------|
| Favourable | EU Member States |
| Unfavourable - inadequate | Outside data coverage |
| Unfavourable - bad | Biogeographical region |
| Unknown | |

The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

Species: *Lacerta schreiberi*

Report under the Article 17 of the Habitats Directive

MS	Region	Conservation status of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
		Range	Population	Habitat	Future prospects					
ES	ATL	FV	FV	FV	XX	FV		88.9	XX	Changed method
PT	ATL	FV	XX	U1	FV	U1	x	11.1	U1	
ES	MED	FV	U1	U1	XX	U1	x	46.3	XX	Changed method
PT	MED	FV	XX	U1	FV	U1	x	53.7	U1	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

Ten most frequently reported 'highly important' pressures

Code	Activity	Frequency
J02	Changes in water bodies conditions	50
J03	Other changes to ecosystems	50

Ten most frequently reported 'highly important' threats

Code	Activity	Frequency
J02	Changes in water bodies conditions	50
J03	Other changes to ecosystems	50

Species: *Lacerta schreiberi*

Report under the Article 17 of the Habitats Directive

Proportion of population covered by the Natura 2000 network

For species listed in the Annex II of the Directive Member States were asked to report the population size within the Natura 2000 network. The percentage of species population covered by the network was estimated by comparing the population size within the network and the total population size in the biogeographical/marine region.

Percentage of coverage by Natura 2000 sites in biogeographical/marine region

	ATL	MED
ES	11	17
PT	x	x

See the endnotes for more informationⁱⁱ

Most frequently reported conservation measures

For species listed in the Annex II of the Directive Member States were asked to report up to 20 conservation measures being implemented for this species using an agreed list which can be found on the Article 17 Reference Portal. Member States were further requested to highlight up to five most important ('highly important') measures; the table below only shows measures classed as 'high', for many species there were less than ten measures reported as highly important.

Ten most frequently reported 'highly important' conservation measures

Code	Measure	Frequency
3.1	Restoring/improving forest habitats	20
6.3	Legal protection of habitats and species	20
7.0	Other species management measures	20
7.4	Specific single species or species group management measures	20
4.0	Other wetland-related measures	10
4.1	Restoring/improving water quality	10

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/species/summary/?group=Reptiles&period=3&subject=Lacerta+schreiberi>

Species: *Lacerta schreiberi*

Report under the Article 17 of the Habitats Directive

i Assessment of conservation status at the European biogeographical level: Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.

ii Percentage of coverage by Natura 2000 sites in biogeographical/marine region: In some cases the population size within the Natura 2000 network has been estimated using a different methodology to the estimate of overall population size and this can lead to percentage covers greater than 100%. In such case the value has been given as 100% and highlighted with an asterisk (*). The value 'x' indicates that the Member State has not reported the species population and/or the coverage by Natura 2000. No information is available for Greece. The values are only provided for regions, in which the occurrence of the species has been reported by the Member States.