



## Tarentola boettgeri

---

<b>Annex</b>	IV
<b>Priority</b>	No
<b>Species group</b>	Reptiles
<b>Regions</b>	Macaronesian

### *Tarentola boettgeri*


Boettger's wall gecko is found on the islands of El Hierro and Gran Canaria in the Canary Islands of Spain. According to the IUCN Red List this species is found in rocky areas, often near to the coast, and sometimes in houses.

The species is reported by Spain and Portugal in the Macraonesion biogeographical region. In the previous reporting period the species was assessed as 'favourable' for the biogeographical region. However, this assessment has changed to 'unknown' for the current reporting period due to a change in conservation status assessment in the spanish report from 'favourable' to 'unknown'. Whereas Portugal reported tidal waves, tsunamis, storms and cyclones as medium-ranked pressures and threats, Spain reported no threats and pressures for the species.

The IUCN Red List classifies the species as least concern, as it is common, does not appear to be in decline and occurs in habitats that are not significantly threatened (<http://www.iucnredlist.org/details/61574/1> consulted on 25 February 2015).

Species: *Tarentola boettgeri*  
Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the European biogeographical level




Region	Conservation status (CS) of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
	Range	Population	Habitat	Future prospects					
MAC	XX	XX	XX	FV	XX		100	FV	Not genuine

See the endnote for more information<sup>i</sup>

Species: *Tarentola boettgeri*  
Report under the Article 17 of the Habitats Directive

## Assessment of conservation status at the Member State level



### *Tarentola boettgeri*

Distribution and conservation status at the Member State level

- |                           |                        |
|---------------------------|------------------------|
| Favourable                | EU Member States       |
| Unfavourable – inadequate | Outside data coverage  |
| Unfavourable – bad        | Biogeographical region |
| Unknown                   |                        |

The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

# Species: *Tarentola boettgeri*

Report under the Article 17 of the Habitats Directive

MS	Region	Conservation status of parameters				Current CS	Trend in CS	% in region	Previous CS	Reason for change
		Range	Population	Habitat	Future prospects					
ES	MAC	XX	XX	XX	FV	XX		93.5	FV	Changed method
PT	MAC	FV	FV	FV	FV	FV		6.5	FV	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

## Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the [Article 17 Reference Portal](#). Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

### Ten most frequently reported 'highly important' pressures

Code	Activity	Frequency
No 'highly important' pressures were reported.		

### Ten most frequently reported 'highly important' threats

Code	Activity	Frequency
No 'highly important' threats were reported.		

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at:

<http://bd.eionet.europa.eu/article17/reports2012/species/summary/?group=Reptiles&period=3&subject=Tarentola+boettgeri>

# Species: *Tarentola boettgeri*

Report under the Article 17 of the Habitats Directive

**i Assessment of conservation status at the European biogeographical level:** Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.