European Environment Agency European Topic Centre on Biological Diversity



Fritillaria conica

Annex	IV
Priority	No
Species group	Vascular plants
Regions	Mediterranean

The plant *Fritillaria conica* plant is endemic to Peloponnesos in Greece (Mediterranean region). The species is found on rocky, calcareous hills by the sea covered with shrubs, where *Quercus coccifera*, *Pistacia lentiscus* and *Phlomis fruticosa* predominate at an altitude of 400 m asl. The IUCN European Red List classifies the species as Endangered (EN). It is protected in Greece and included in the Red Data Book as Endangered (Kamari and Phitos in: Phitos et al. 2009).

Greece did not provide data for this reporting period, therefore the data from 2007 reporting were used. The previous and the current conservation status is the same, assessed as "Unfavourable Bad" due to Future prospects (small population, significant number of grazing animals).


Main threats are overgrazing and inappropriate management of the sites for the species.

Report under the Article 17 of the Habitats Directive

100

U2

х



112

Assessment of conservation status at the European biogeographical level


See the endnote for more informationⁱ

MED

111

Report under the Article 17 of the Habitats Directive

Assessment of conservation status at the Member State level



The map shows both Conservation Status and distribution using a 10 km x 10 km grid. Conservation status is assessed at biogeographical level. Therefore the representation in each grid cell is only illustrative.

Biogeographical region

Unfavourable - bad

Unknown

Report under the Article 17 of the Habitats Directive

	Conservation status of parameters				Current	Trend in	% in	Previous	Reason
MS Region	Range	Population	Habitat	Future prospects	Current CS	CS	region	CS	for change
GR MED	U1-	U1-	U1-	U2	U2		100.0	U2	

Knowing that not all changes in conservation status between the reporting periods were genuine, Member States were asked to give the reasons for changes in conservation status. Bulgaria and Romania only joined the EU in 2007 and Greece did not report for 2007-12 so no reason is given for change for these countries. Greek data shown above is from 2001-06.

Main pressures and threats reported by Member States

Member States were asked to report the 20 most important threats and pressures using an agreed hierarchical list which can be found on the Article 17 Reference Portal. Pressures are activities which are currently having an impact on the species and threats are activities expected to have an impact in the near future. Pressures and threats were ranked in three classes 'high, medium and low importance'; the tables below only show threats and pressures classed as 'high', for some species there were less than ten threats or pressures reported as highly important.

Ten most frequently reported 'highly important' pressures

Code Activity	Frequency
No 'highly important' pressures were reported.	

Ten most frequently reported 'highly important' threats

Code	Activity
Ouc	Activity

Frequency

No 'highly important' threats were reported.

This information is derived from the Member State national reports submitted to the European Commission under Article 17 of the Habitats Directive in 2013 and covering the period 2007-2012. More detailed information, including the MS reports, is available at: http://bd.eionet.europa.eu/article17/reports2012/species/summary/? group=Vascular+plants&period=3&subject=Fritillaria+conica

Report under the Article 17 of the Habitats Directive

ⁱAssessment of conservation status at the European biogeographical level: Current Conservation Status (Current CS) shows the status for the reporting period 2007-2012, Previous Conservation Status (Previous CS) for the reporting period 2000-2006. Reason for change in conservation status between the reporting periods indicates whether the changes in the status were genuine or not genuine. Previous Conservation Status was not assessed for Steppic, Black Sea and Marine Black Sea regions. For these regions the Previous status is therefore considered as 'unknown'. The percentage of the species population occurring within the biogeographical/marine region (% in region) is calculated based on the area of GIS distribution.